



Measurement of exclusive pion pair production in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS Collaboration

The exclusive production of pion pairs in the process $pp \rightarrow pp\pi^+\pi^-$ has been measured at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, using $80 \mu\text{b}^{-1}$ of low-luminosity data. The pion pairs were detected in the ATLAS central detector while outgoing protons were measured in the forward ATLAS ALFA detector system. This represents the first use of proton tagging to measure an exclusive hadronic final state at the LHC. A cross-section measurement is performed in two kinematic regions defined by the proton momenta, the pion rapidities and transverse momenta, and the pion–pion invariant mass. Cross-section values of 4.8 ± 1.0 (stat) $^{+0.3}_{-0.2}$ (syst) μb and 9 ± 6 (stat) $^{+2}_{-2}$ (syst) μb are obtained in the two regions; they are compared with theoretical models and provide a demonstration of the feasibility of measurements of this type.

Contents

1	Introduction	2
2	Experimental apparatus	3
3	Monte Carlo generators	5
4	Data taking	6
5	Data analysis	6
5.1	Event selection	6
5.2	Background estimation	11
5.3	Beam and ALFA modelling inefficiencies, correction procedure	13
5.4	Kinematic distributions	14
5.5	Systematic uncertainties	14
6	Results and discussion	17
7	Conclusion	18

1 Introduction

A significant fraction of LHC proton–proton (pp) collisions are either elastic ($\approx 25\%$) or diffractive ($\approx 20\%$ of the remaining inelastic collisions [1]). In many of these collisions the momentum transferred from the beam protons is too small (< 1 GeV) for perturbative quantum chromodynamics (QCD) to be applicable, and instead Regge theory [2, 3] is used. This involves the exchange of a non-perturbative Pomeron, a soft colour-singlet object originally introduced to keep the universality of the s -dependence of high energy total cross sections by Gribov [4], Chew and Frautschi [5] and later providing an explanation of the rise of hadronic collision cross-sections with increasing beam energy [6]. Since QCD is assumed to be universally valid, there should nevertheless be a ‘mapping’ between Regge theory and QCD in which the exchanged Pomeron is equivalent to the exchange of quarks and gluons, the fundamental quanta of QCD. In certain kinematic regions, the Pomeron can be treated approximately as a two-gluon colour-singlet state. Exclusive diffractive processes provide a clean environment to study the interactions of Pomerons, via the observation of final states involving only several hadrons and no beam-remnants except the outgoing protons.

This paper presents first measurements of the exclusive double-diffractive production of charged-pion pairs in the process $pp \rightarrow pp\pi^+\pi^-$, schematically shown in Figure 1, using the ATLAS detector at the LHC.

The charged pions are measured with the ATLAS inner detector [7], while the outgoing protons are measured by the ALFA detector [8], comprising two tracking stations situated in the forward regions on either side of ATLAS at distances of approximately 240 m from the ATLAS interaction point (IP). The ALFA detector system was designed in the first place to determine the total pp cross section at LHC energies, as well as to measure the LHC luminosity via small-angle proton-scattering processes [9]. The use of the ALFA detectors is a distinctive feature of the present study, since the outgoing protons are




Figure 1: A schematic Feynman diagram (left) describing the process of interest, in which two protons p with momenta p_1, p_2 interact to give a pion pair $\pi^+\pi^-$ with momenta k_1, k_2 accompanied by two outgoing protons with momenta p_3, p_4 . The exchanged virtual objects O_1 and O_2 are not necessarily of the same type, but may be typified as Reggeons (e.g. the Pomeron) and must have all hadronic quantum numbers equal to zero. Two of the simplest examples of possible production mechanisms are shown in the bubble (right) – the upper one belonging to so-called continuum contributions and the lower one to resonance contributions.

directly measured, suppressing contamination from the remnants of excited scattered protons. The analysis benefits from procedures developed previously in the ALFA total cross section measurement [9].

The present results can be compared with existing measurements of the exclusive production of pion pairs using data from the ISR [10, 11], SPS [12], RHIC [13] and LHC [14, 15], where the CMS results [14, 15] are not based on purely exclusive events but on a mixture of exclusive and semi-exclusive processes. Some recent theory predictions for the process considered here may be found in Refs. [16–26]. In addition to revealing general properties of Pomerons, these channels provide a rich potential harvest for a variety of final states, including the production of resonances and the possible production of the long-sought glueball states.

2 Experimental apparatus

ATLAS is a multipurpose apparatus covering almost the entire solid angle around its LHC interaction point (IP) [7].¹ The present analysis combines information from the ATLAS inner detector, the minimum-bias trigger scintillators, and the ALFA detector system.

The ATLAS inner detector (ID) [7, 27] immediately surrounds the ATLAS IP and is composed of three tracker subsystems that provide high-precision track reconstruction: a silicon pixel detector (innermost), a silicon semiconductor tracker (SCT), and a transition-radiation tracker (outermost), which also helps

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point in the centre of the detector and the z -axis along the beam-pipe. The x -axis points from the interaction point to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

to discriminate electrons from hadrons. The ID covers a range of $|\eta| < 2.5$. It is surrounded by a superconducting solenoid, which produces a 2 T axial field within the ID volume.

The minimum-bias trigger scintillators (MBTS) [28] are located on either side of ATLAS between the ID and the liquid-argon calorimeter at ± 3.6 m from the IP. Each of the two MBTS detectors is oriented perpendicularly to the beam direction and consists of 16 panels assembled in two concentric rings, the outer ring covering the range $2.1 < |\eta| < 2.8$ and the inner ring covering the range $2.8 < |\eta| < 3.8$.

The ALFA detector system [8], located at $z \approx \pm 240$ m, consists of four Roman pot stations, containing vertically movable detectors that can approach the outgoing beams to within one millimetre. A schematic diagram of the detector arrangement relative to the ATLAS IP is shown in Figure 2. Each station is




Figure 2: A schematic depiction of the arrangement of ALFA in ATLAS, indicating the naming and numbering conventions used [8]. The upper part of the diagram gives a plan view that shows the dipole (D) and quadrupole (Q) magnets on either side of ATLAS whose settings are relevant for the beam optics. The proton beams that circulate anticlockwise and clockwise are depicted in this view, emerging into the A and C sides, respectively. The lower diagrams give side views that show the ALFA detector combinations (**arms**) used for the elastic measurement (Arm 1, orange, and Arm 2, purple) and the anti-elastic measurement (Arm 3, green, and Arm 4, pink). Each arm comprises two sections (**armlets**), consisting of two upper or lower detectors on a single side. The ALFA stations are numbered from A1 to A8 together with a more detailed designation. In these views the vertically deflected protons entering the different arms are indicated.

equipped with two Roman pots, each of which hosts a nearly edgeless tracking detector composed of scintillating fibres, as depicted in Figure 3. The ALFA detector system has a limited radiation tolerance and takes data under conditions with low numbers (μ) of simultaneous proton–proton collisions interactions per beam crossing (pile-up).




Figure 3: A schematic drawing of the ALFA detectors in one station, here A5+A6 in Figure 2. Each of the main detectors is made of ten u and ten v fibre layers; for more details see Ref. [8]. Only the first and last layers are drawn. For the overlap detectors, serving for the mutual positioning of the upper and lower detectors, only one of the three planes is drawn. The trigger planes are not drawn. The local coordinate system, relative to the beamline, is indicated together with the projections of the leading outgoing proton momentum p and the angle θ_y ; the angle θ_x is defined similarly.

An extensive software suite [29] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Monte Carlo generators

The analysis makes use of two Monte Carlo (MC) signal generators: GENEx [30] and DIME [25].² The models are similar, but not identical, and provide different predictions. The GENEx generator is used for the baseline calculations of detection and reconstruction efficiency for the events, and for corrections to the data, while DIME is used for comparison and to estimate model uncertainties.

The generator GENEx (version May 2015) is based on a theoretical model from Lebedowicz et al. [24] and calculates the exclusive continuum production of $\pi^+\pi^-$ and K^+K^- pairs. It is based on a Regge-exchange description. The parameter determining the meson form factor (in its exponential parameterization) is the only free parameter. The implemented model describes non-resonant production without an absorption correction and does not include a rapidity gap survival factor (see e.g. Ref. [33]). In the present analysis, pions were generated within a region of pseudorapidity $|\eta| < 2.7$, and with the off-shell-pion form-factor parameter set to $\Lambda_{\text{off}} = 1$ GeV. Otherwise, default program settings were used.

The generator DIME (version 1.06) similarly generates exclusive continuum production of $\pi^+\pi^-$ and K^+K^- pairs, although other channels are also implemented, e.g. exclusive $\rho\rho$ or $\phi\phi$ production. Unlike GENEx, DIME includes wider possibilities for modelling absorption effects: four different models (parameter *iin*, 1 - the default value used in our analysis; see Table 12 in Ref. [34]) for absorption are available with three different parameterizations of the meson form factor (exponential, ‘Orear-like’ – used in the present analysis, and power-like) [25].

² Some other generators, also suitable for modelling the considered process, became available later, e.g. ExDiff [31] and SuperChic [32].

The central diffractive background processes were generated by PYTHIA 8 [35] (version 8.183), using the ATLAS A2 set of tuned parameters [36] and the MSTW2008LO PDF set [37]. PYTHIA 8 employs a parton structure function approach and calculates the processes of central diffraction via double Pomeron exchange (DPE). The exclusive pion-pair process is removed from the dataset.

The GEANT4 [38] toolkit is implemented to simulate the response of the ATLAS central and forward detectors [39]. The leading outgoing protons are transported to the ALFA locations using the beam parameter values and ALFA detector positions corresponding to the data-taking period [9] in which a special high-beta* optics, referred to here as the nominal optics, was employed. The MC events were reconstructed using the same ATLAS software chain as used for the data.

4 Data taking

The data were recorded in October 2011 during a special four-hour run with high $\beta^* = 90$ m and very low pile-up given by $\mu = 0.035$. Each beam of the LHC was filled with one circulating proton bunch containing $7 \cdot 10^{10}$ protons. The integrated delivered luminosity and its uncertainty were determined to be $L_{\text{int}} = 78.7 \pm 0.1(\text{stat}) \pm 1.9(\text{syst}) \mu\text{b}^{-1}$ [9].

Two event topological configurations are used in this analysis, covering four regions of phase space. They are referred to as **elastic** and **anti-elastic** and are based on signals in different combinations of four ALFA detectors, as shown in Figure 2. Each detector combination is designated as an **arm** (following the existing ALFA notation [9]), and includes detectors on side A and side C in order to measure forward protons on each side of ATLAS. The elastic configuration makes use of two arm combinations: Arm1 = arm₁₃₆₈ = A1+A3+A6+A8 (**elastic arm 0**) and Arm2 = arm₂₄₅₇ = A2+A4+A5+A7 (**elastic arm 1**), while the anti-elastic configuration uses Arm3 = arm₁₃₅₇ = A1+A3+A5+A7 (**anti-elastic arm 0**) and Arm4 = arm₂₄₆₈ = A2+A4+A6+A8 (**anti-elastic arm 1**). Each arm comprises two **armlets**, consisting of two ALFA stations on either the A side or C side of ATLAS. The two configurations measure different ranges of momentum transfer to the pion system and their events were recorded by different combinations of triggers during data taking. They correspond physically to different kinematic phase-space regions, and theoretical models can differ in their estimates of cross-sections.

5 Data analysis

5.1 Event selection

The event topology for exclusive pion-pair production consists of two oppositely charged pions detected by the ATLAS ID, accompanied by a leading outgoing proton entering each of the ATLAS forward regions and detected by the ALFA detector system. There should be no other activity in the ATLAS ID and in the inner cells of the MBTS, and the total three-momentum of the measured protons and pions must be consistent with zero.³ The data selections are summarized in Table 1. The order in which the selections were applied to the data is given in Table 2.

³ The precise expectation value depends on the beam-crossing angle, which varied during the data taking and was at most 10 μrad in the y projection and smaller in x . The full effect is safely ignored since its impact is less than those of the ALFA detector resolution.

Table 1: List of applied selections.

Selection
Bunch selection
Lumi blocks selection
Trigger configuration
Pions:
number of tracks
primary vertex
ID track quality
MBTS veto
Protons:
ALFA track quality
ALFA uv -condition
ALFA clean track
ALFA geometry condition
Full system momentum balance in p_x and p_y
Fiducial region

5.1.1 Description of selections

The description of the conditions that are applied to select a clean sample of $pp\pi^+\pi^-$ event candidates, as summarized in Table 1, is as follows.

- **Bunch system and good lumi blocks.** The data come from single colliding proton bunches in the LHC. The data-recording intervals that were used (‘lumi blocks’) are required to be longer than 60 seconds in duration and the dead time must be smaller than 5%.
- **Trigger.** For the elastic configuration, a coincidence in the upper A-side and lower C-side detectors or the lower A-side and upper C-side detectors was required [9] (see Figure 2). The trigger efficiency within the geometrical acceptance of the detectors is measured to be $(99.96 \pm 0.10)\%$ [9]. For the anti-elastic configuration the relevant trigger (a signal in any of the eight ALFA detectors) was prescaled by a factor of 15, which resulted in a low numbers of recorded anti-elastic events. The trigger efficiency for each of the anti-elastic configurations is determined as the product of the measured single-diffractive trigger efficiencies on each side, leading to the value $(99.02 \pm 0.25)\%$ before prescaling.
- **Pion system.**
 - **Charged tracks.** Tracks in the ATLAS ID were reconstructed using a low- p_T tracking algorithm ($p_T > 100 \text{ MeV}$) as in Ref. [40], where p_T denotes the transverse momentum component. Each track must pass the following quality conditions:
 - **Pixel detector:** at least one hit is required,

- **Semiconductor tracker:** a minimum number of hits in the SCT is required, depending on the track p_T : at least two hits for $p_T > 100$ MeV, four hits for $p_T > 200$ MeV and six hits for $p_T > 300$ MeV.

Events with at least two tracks are required. A primary vertex is required and must have exactly two accepted tracks with opposite-sign charges and small impact parameters relative to the beam axis. For the purposes of this analysis, all charged tracks are treated as pion tracks, since the numbers of electron, kaon and proton pairs are estimated to be small. The pions' transverse momenta are reconstructed [40] with an uncertainty of about 10 MeV independent of their charge.

- **MBTS.** To select events with no additional visible activity in the ATLAS ID, taking into consideration its limited η coverage, a MBTS veto criterion is applied: the total number of MBTS inner cells on the two ATLAS sides with a signal is required to be at most one, ignoring the outer cells. This criterion was chosen since it was robust against electronic noise in the MBTS detector.

- **Proton system.**

- **ALFA track reconstruction.** The proton reconstruction criteria used in a previous analysis [9] – bunch group, data quality, selections on the reconstructed track and geometrical deflection, beam-screen and edge conditions (see Table 2 of Ref. [9]) – together with the detector alignment, are adopted for the current study.
- **ALFA uv -condition.** This requirement is introduced to remove contributions from beam halo and showers (caused by interactions with material between the IP and the ALFA detectors). These contributions are absent in MC simulations. The purpose of the ALFA uv -condition is to differentiate between events with single particles and those with multi-particle showers entering the detectors, so as to filter out multi-particle signals, and in this way to allow good correspondence between MC simulations and real data samples.

The uv -condition is based on the fibre multiplicities associated with a candidate proton. The first four u and first four v detector layers [8], closest to the IP, must satisfy the following:

- at least two of these u layers, and at least two of these v layers, must have at least one hit, and
- at most one u layer and one v layer may have more than three hits.

The first condition identifies a well-measured track and is based on the estimate of the single-fibre efficiency and a requirement on the uv -condition efficiency. The second, allowing at most two cross-talk hits surrounding that of the signal, is based on observations made during beam tests of the ALFA detectors. It also rejects tracks that give rise to showers.

- **ALFA clean track.** Due to e.g. beam halo, pile-up or showers, more than one track may be reconstructed in a given ALFA detector [9], and it may not be possible to decide which of the tracks is the correct one. Therefore, only events with exactly one reconstructed track in each of the detectors that comprise an arm are considered in the present analysis, and a correction is evaluated for each of the configuration arms to compensate for the consequent loss of signal.
- **ALFA geometric condition.** In measuring leading protons, the ALFA detector system operates as a spectrometer in which a proton having a larger energy loss undergoes a larger deflection, corresponding to a larger x value of its track position measured in the horizontal direction in the

coordinates of the ALFA station. In the case of exclusive pion-pair production, the energy loss of a leading proton is low and the expected distribution in the scatter plot of the reconstructed x -positions of the protons and corresponding local angles θ_x (see Figure 3) should have a shape similar to that of elastically scattered protons. This is illustrated in Figure 4 and allows a geometrical selection to be used to remove many protons not originating from the process of interest. Data and MC events were selected within the ellipse indicated in Figure 4(b), whose size is slightly larger than that from the elastically scattered protons shown in Figure 4(a). This covers the larger kinematic phase space occupied by the protons after losing energy to the pion system.




Figure 4: The correlation between the reconstructed position of a proton at $|z| = 237$ m (A-side; a similar correlation is measured for the C-side) and its local angle projection on the horizontal direction. In (a) the proton candidates in elastic proton–proton data lie within the area of the indicated ellipse [9]. The ellipse shown in (b) is obtained using the selection criteria applied to the sample of exclusive pion-pair production generated by GENEx.

- **Overall momentum balance.** Because of the limited reconstruction of the proton kinematics, a selection criterion for overall four-momentum conservation is not possible; instead the momentum balance in the x and y projections is used.

The methods used for the reconstruction of the proton kinematics from the tracks measured by the ALFA detector are based on knowledge of the accelerator optics. As the mass of the centrally produced pion-pair system is low, the ‘lattice’ method [9], originally used for elastically scattered protons, can be applied. Proton momentum projections p_x and p_y are used in the analysis, and are reconstructed with a resolution of about 40 MeV and 1 MeV respectively.

The transverse momentum components of the full $pp\pi^+\pi^-$ system are determined with a resolution of approximately 60 MeV in p_x and 20 MeV in p_y , denoted by σ_x and σ_y respectively. The **signal region** is defined by $3.5\sigma_{x,y}$ intervals about zero in p_x and p_y .

- **Fiducial condition.** The exclusive production of pion pairs is studied within a fiducial region which is defined to be close to that which is allowed by the sub-detector acceptances. The data and Monte Carlo analyses use the same fiducial region, which is given in terms of the pseudorapidities $\eta(\pi)$ and

transverse momenta $p_T(\pi)$ of the individual pions, and the mass of the central pion system $m_{\pi\pi}$:

$$|\eta(\pi)| < 2.5, \quad p_T(\pi) > 0.1 \text{ GeV}, \quad 2m_\pi < m_{\pi\pi} < 2.0 \text{ GeV}.$$

Additional conditions are applied to the y -components of the proton momenta $p_y(\text{A})$ and $p_y(\text{C})$, in both the elastic and anti-elastic configurations:

$$\text{armlet}_{ij}^{\text{low_cut}} < p_y(\text{A}) < \text{armlet}_{ij}^{\text{up_cut}} \quad \text{and} \quad \text{armlet}_{kl}^{\text{low_cut}} < p_y(\text{C}) < \text{armlet}_{kl}^{\text{up_cut}},$$

where $ijkl \in \{1368, 2457, 1357, 2468\}$ and

$$\begin{aligned} \text{armlet}_{13}^{\text{up_cut}} &= 0.267 \text{ GeV}, & \text{armlet}_{57}^{\text{up_cut}} &= 0.246 \text{ GeV}, \\ \text{armlet}_{13}^{\text{low_cut}} &= 0.080 \text{ GeV}, & \text{armlet}_{57}^{\text{low_cut}} &= 0.080 \text{ GeV}, \\ \text{armlet}_{24}^{\text{up_cut}} &= -0.079 \text{ GeV}, & \text{armlet}_{68}^{\text{up_cut}} &= -0.082 \text{ GeV}, \\ \text{armlet}_{24}^{\text{low_cut}} &= -0.250 \text{ GeV}, & \text{armlet}_{68}^{\text{low_cut}} &= -0.269 \text{ GeV}. \end{aligned}$$

These selections are evaluated in terms of the reconstructed ALFA proton kinematic parameters, calculated using the nominal beam optics and ALFA detector positions. The experimental uncertainties of these values translate into a systematic uncertainty that is common to the corrected data and the MC predictions.

5.1.2 Data selection statistics

The numbers of events after the successive selection conditions are shown in Table 2.

Table 2: Data statistics for the two configurations after the successive selection conditions. Definitions of 'arm 0' and 'arm 1' (elastic and anti-elastic) are given in Section 4.

Selection	Configuration	
	elastic	anti-elastic
Recorded ATLAS events	6 620 953	
Data quality and trigger preselections	1 106 855	397 683
ID selection (pion pair)	1 520	1 115
ALFA track selection (incl. clean track and uv -condition)	486	11
MBTS veto	136	5
ALFA geometry condition	96	5
Full system momentum balance in x and y	30	3
Fiducial region	28	3
Total selected (arm0 + arm1)	28 (18+10)	3 (2+1)

5.2 Background estimation

One source of background consists of centrally produced pion pairs that are accidentally accompanied by one or more beam-halo protons which are detected in ALFA. This background is suppressed by the event selections to a low level. This can be seen in Figure 5, which shows (a) the total multiplicity distribution of the MBTS inner rings for events that satisfy the selection criteria listed in Table 1, except for those on MBTS and momentum balance, and (b) after all the selections in Table 1 are applied. A fit to the data is performed in terms of a model comprising generated signal events (GENEx) and backgrounds from (i) generated diffractive events (PYTHIA 8) and (ii) an ‘accidentals’ event sample formed from data events with a pion pair that are combined with unrelated data events randomly found to have ALFA signals. For exclusive pion events, the MBTS multiplicity is at most one, while for other diffractive events it can be higher. Events with accidental coincidences can give both higher and lower MBTS multiplicities. Such events are contained in the event sample, but Figure 5(b) shows that they contribute no contamination to the signal region $|p_a| < 3.5\sigma_a$, where $a = x, y$ (see Section 5.1.1), after all conditions listed in Table 1 are applied.




Figure 5: Total multiplicity of the MBTS inner cells, comparing data with MC signal simulation (GENEx), MC background simulation (PYTHIA 8 central diffraction (CD)), and accidental coincidences. In (a) the MBTS selection criteria and selections for momentum balance in the x and y projections are not applied; in (b) all the selections listed in Table 1 are applied. The MC and accidental coincidences histograms are stacked. Statistical uncertainties of MC events and accidentals are combined.

The very strong effect of the MBTS veto on background suppression is demonstrated also in Figure 6, which shows that the summed vertical (y -axis) track momenta exhibit a clear signal peak in the total p_y of the event only after this veto is applied. Figure 6(a) includes events with selections up to those on the ID and ALFA tracks listed in Table 2, while Figure 6(b) shows the same data and backgrounds but with the MBTS veto also applied. The background was fitted outside the signal region, which approximately covers the central three plotted intervals. The signal peak is now prominent.

Since the data were taken during the special run with very low pile-up, the remaining backgrounds, after applying the event selections of Section 5.1, presumably originate from other central diffraction processes. For both the elastic and anti-elastic event configurations, the backgrounds due to these diffraction processes are estimated using events satisfying the complete set of selections listed in Table 1 except for the requirement on the momentum balance in the x and y projections. They are evaluated from a fit to the




Figure 6: The summed momentum values in p_y after the pion and proton system selection: (a) before and (b) after the MBTS veto is applied (see Table 2). The histograms of the MC predictions and the accidentals are stacked. Statistical uncertainties of MC events and accidentals are combined. The underflow and overflow bins ($|p_y| > 1$ GeV) are shown.

p_y distribution of the data outside the signal region, using a model consisting of a background generated by PYTHIA 8 and accidentals. This is shown in Figure 7(a), while Figure 7(b) shows the distribution with all the selections applied.




Figure 7: Full final-state p_y momentum component of data, fitted to MC simulation and accidentals using GENEx for the signal component and a background consisting of accidentals and PYTHIA 8 central diffraction (CD) without exclusive pion processes; in (a) all the final selections listed in Table 1 are applied except those on the momentum balance in the x and y projections, while in (b) all the final selections are applied. The histograms of the MC predictions and the accidentals are stacked. Statistical uncertainties of the MC events and accidentals are combined. The underflow and overflow bins ($|p_y| > 1$ GeV) are shown.

5.3 Beam and ALFA modelling inefficiencies, correction procedure

The implementation of the ALFA detector in the ATLAS simulation framework has some limitations. The response can differ from that of the real detector, mainly due to imperfect implementation of signal and noise production mechanisms and the omission of electronic cross-talk between channels.

Since the simulation does not include the production of particle showers that are due to the interaction of forward-going particles with parts of the LHC (accelerator beam pipe, collimators, shielding of magnets, etc.), the uv -condition is introduced, effectively removing these showers from the data. This affects the signal, and the corresponding correction depends on the elastic or anti-elastic configuration ('conf') and the arm. A further correction is required for the clean track selection (Section 5.1).

If the MC description were perfect, the detector efficiency ε , for a given arm and configuration, would be written as

$$(\varepsilon)_{\text{arm}}^{\text{conf}} = \left[\left(\frac{N_{\text{trk}}}{N_{\text{acc}}} \right)^{\text{MC}} \right]_{\text{arm}}^{\text{conf}}, \quad (1)$$

where N_{trk} is the number of generated MC signal events with at least one track reconstructed in each of the detectors in a given configuration and N_{acc} is the number of MC signal events within the acceptance of that configuration.

Since the MC simulation does not contain all relevant effects, the uv -condition and the clean track selection are introduced and Eq. (1) is now rewritten as

$$(\varepsilon')_{\text{arm}}^{\text{conf}} = \left[\left(\frac{N_{\text{trk}}}{N_{\text{uv}}} \right)^{\text{data}} \times \left(\frac{N_{\text{uv}}}{N_{\text{acc}}} \right)^{\text{MC}} \right]_{\text{arm}}^{\text{conf}} \stackrel{\text{def}}{=} [r^{\text{data}} \times t^{\text{MC}}]_{\text{arm}}^{\text{conf}}, \quad (2)$$

where N_{uv} is the number of events which pass the uv -condition. The first factor in Eq. (2) is given by physics that can be mismodelled by generators, and the second factor takes account of the clean track selection.

Denoting $R_{\text{arm}}^{\text{conf}} = (o^{\text{MC}}/o^{\text{data}})_{\text{arm}}^{\text{conf}}$, where the ratio $o^X = N^{X, \text{clean}}/N^{X, \text{any}}$ gives the ratio of the number of events with clean tracks to all events in a given track sample X (MC or data), the combined correction factor $f_{\text{arm}}^{\text{s+uv,conf}}$, where s+uv denotes the combination of single tracks and uv -conditions, is written as

$$f_{\text{arm}}^{\text{s+uv,conf}} = (\varepsilon/\varepsilon' \times R)_{\text{arm}}^{\text{conf}}$$

which, using Eq. (2), can be re-written as

$$f_{\text{arm}}^{\text{s+uv,conf}} = \left(r^{\text{MC}}/r^{\text{data}} \times o^{\text{MC}}/o^{\text{data}} \right)_{\text{arm}}^{\text{conf}}.$$

Its values are given in Table 3.

The effects arising from detector efficiency and due to migrations across the fiducial phase-space boundary at particle and detector level are corrected for with a single factor for each configuration. This is adequate in view of the limited statistical precision of the data, given that the MC model describes the data well. The correction factor, $f_{\text{arm}}^{\text{corr,conf}}$, is based on the GENEx MC simulation, and for a given configuration it is defined as the ratio of the number of events, $N_{\text{detector_level}}^{\text{passed}}$, that pass the event selection criteria at the

detector level, to the number of events $N_{\text{particle_level}}^{\text{passed}}$ that pass the fiducial region selection at the particle level, i.e. $f_{\text{arm}}^{\text{corr, conf}} = \left(N_{\text{detector_level}}^{\text{passed}} / N_{\text{particle_level}}^{\text{passed}} \right)_{\text{arm}}^{\text{conf}}$. The geometrical acceptance of each ALFA detector is ≈ 0.25 , giving rise to the calculated combined values stated in Table 3.

Table 3: Correction factors for the single-track selection and uv -condition, and the correction factor for MC simulation based on the GENEx generator. Statistical uncertainties are quoted.

Configuration	arm	$f_{\text{arm}}^{s+uv, \text{conf}}$	$f_{\text{arm}}^{\text{corr, conf}}$
Elastic	0	1.097 ± 0.015	0.076 ± 0.001
	1	1.135 ± 0.016	0.070 ± 0.001
Anti-elastic	0	1.229 ± 0.115	0.069 ± 0.001
	1	1.126 ± 0.134	0.068 ± 0.001

The visible cross-section for a given elastic or anti-elastic configuration is then determined as

$$\sigma_{\pi^+\pi^-}^{\text{vis, conf}} = \frac{1}{L} \times \left[\left(N_0^{\text{conf}} - B_0^{\text{conf}} \right) \times C_0^{\text{conf}} + \left(N_1^{\text{conf}} - B_1^{\text{conf}} \right) \times C_1^{\text{conf}} \right] \times \frac{1}{\epsilon_{\text{trig}}^{\text{conf}} \cdot \epsilon_{\text{DAQ}}}$$

where L represents the integrated luminosity used; $N_{\text{arm}}^{\text{conf}}$ and $B_{\text{arm}}^{\text{conf}}$ are the numbers of selected signal candidate events and calculated background events in each arm; $C_{\text{arm}}^{\text{conf}} = f_{\text{arm}}^{s+uv, \text{conf}} / f_{\text{arm}}^{\text{corr, conf}}$; $\epsilon_{\text{trig}}^{\text{conf}}$ is the trigger efficiency for the given configuration; ϵ_{DAQ} is the dead-time correction factor, as defined and determined in Ref. [9].

5.4 Kinematic distributions

Taking into account the precision of the reconstruction, the kinematic distributions of the pions and protons are well modelled by the MC simulations. Figures 8–10 show comparisons of the distributions of the momentum components of the reconstructed pions and protons, and the pion-pair rapidity, acoplanarity, transverse momentum and invariant mass, for the data and the GENEx MC and DIME MC simulations. The distributions are presented after applying all the event selections, but without applying a background subtraction ($\approx 10\%$) to the data. In view of the low number of events for the anti-elastic configuration, only distributions for the elastic configuration are shown.

5.5 Systematic uncertainties

The overall systematic uncertainty on the exclusive pion-pair cross-section measurement is estimated as $^{+6.4}_{-4.2}\%$ for the elastic configuration and $^{+6.0}_{-4.4}\%$ for the anti-elastic configuration. Table 4 summarizes the main sources of systematic uncertainty. The difference between the relative uncertainties of the two configurations comes mainly from data-driven systematic uncertainties. Some of the MC studies made use of slightly enlarged fiducial region criteria to estimate systematic uncertainties.




Figure 8: Distributions, for the selected events, of p_x and p_y components of the pion tracks reconstructed in the ATLAS central detector (upper row), and p_x and p_y components of the proton tracks reconstructed in the ALFA detectors (lower row) for the data, GENEx MC and DIME MC simulations after applying all the event selections, but without a background subtraction applied to the data ($\approx 10\%$). Each of the MC samples is scaled to the data. Statistical uncertainties are shown only for the data; they are negligible for the MC predictions.

Background determination. The systematic uncertainty is determined as half of the difference between the background estimates for the standard signal region, $3.5\sigma_{x,y}$ around zero in p_x and p_y , and for the case when the signal region is increased to $5\sigma_{x,y}$. It is symmetrized.

LHC beam energy. The systematic uncertainty due to that of the nominal beam energy is based on a beam energy variation of about $\pm 0.1\%$ [41].

Thicknesses of material. An uncertainty in the amount of material in the ID is calculated by changing this by $+5\%$ and $+10\%$ in the whole ID and by $+10\%$ in the pixel detector to determine the difference between the lowest and the highest value of the corrected exclusive pion-pair cross-section [40].

MBTS Veto. The MBTS veto uncertainty determination is based on the corresponding procedure used in the measurement of the inelastic proton–proton cross-section at $\sqrt{s} = 7$ TeV [42].

Selection criteria. The uncertainty in the efficiency due to the selection criteria is determined from the fraction of lost signal. The overall uncertainty in the ALFA reconstruction efficiency is determined by varying the event selection criteria and summing the corresponding individual uncertainties in quadrature.

Correction factors. An uncertainty in the values of $f_{\text{arm}}^{S+uv, \text{conf}}$ arises from the restricted selection of data that is used to evaluate this factor in each arm. Although of statistical origin, this is treated as a systematic uncertainty.




Figure 9: Distributions of (a) pion-pair rapidity and (b) pion-pair acoplanarity for the data, GENEx MC and DIME MC simulations after applying all event selections, but without a background subtraction applied to the data. Each of the MC samples is normalized to the data. Statistical uncertainties are shown only for the data; they are negligible for the MC predictions.




Figure 10: Distributions of (a) pion-pair transverse momentum and (b) pion-pair invariant mass for the data, GENEx MC and DIME MC simulations after applying all event selections, but without a background subtraction applied to the data. Each of the MC samples is normalized to the data. Statistical uncertainties are shown only for the data; they are negligible for the MC predictions.

Beam optics. This analysis uses data at a collision energy of 7 TeV and with high $\beta^* = 90$ m beam optics, referred to as the nominal optics. Based on data measurements, an adjustment is made to the current-to-field calibration offset between the Q1Q3 and Q2 quadrupole magnets to derive the so-called effective optics [9]. Studies related to both optics are performed: the effective and the nominal optics are used in MC simulation to calculate all the corrections applied in reconstructing the data. The nominal optics is used as the baseline; the difference in the cross-section values is used to determine the systematic uncertainties.

Modelling. The analysis of the data uses the generator GENEx as the baseline for modelling the signal sample. The full analysis is repeated using the generator DIME, and the difference between the resulting cross-sections is taken as an uncertainty due to the modelling and is applied symmetrically.

Table 4: Summary of the exclusive pion-pair cross-section systematic uncertainties.

Source of uncertainty	Uncertainty [%]	
	elastic	anti-elastic
Trigger efficiency ϵ_{trig}	± 0.1	± 0.3
Background determination	± 3.5	± 3.5
Signal and background corrections:		
Beam energy	± 0.1	± 0.1
ID material	+4.8	+4.1
Veto on MBTS signal	± 1.3	± 2.0
ALFA single-track selection	± 0.9	± 0.9
ALFA reconstruction efficiency	± 0.9	± 0.8
ALFA geometry selection	± 0.5	± 0.5
Optics	± 1.1	± 1.0
Overall systematic uncertainty	+6.4	+6.0
	-4.2	-4.4
Statistical uncertainty	± 21.2	± 61.6
Theoretical modelling	± 2.8	± 8.0
Luminosity	± 1.2	± 1.2

6 Results and discussion

The cross-section for exclusive pion pair production is measured for two non-overlapping configurations, elastic and anti-elastic. The fiducial region is defined in Section 5.1.1 and the results are presented in Table 5.

Table 5: Exclusive pion-pair cross-section within the defined fiducial region for elastic and anti-elastic configurations, for the measurement and MC simulations. The statistical uncertainties of the MC simulations are negligible. The GENEx predictions have been multiplied by an absorptive correction factor of 0.22 suggested by the author of the generator.

Exclusive $\pi^+\pi^-$ cross-section [μb]	
Elastic configuration	
Measurement	4.8 ± 1.0 (stat) $^{+0.3}_{-0.2}$ (syst) ± 0.1 (lumi) ± 0.1 (model)
GENEx $\times 0.22$ (absorptive correction)	1.5
DIME	1.6
Anti-elastic configuration	
measurement	9 ± 6 (stat) $^{+1}_{-1}$ (syst) ± 1 (lumi) ± 1 (model)
GENEx $\times 0.22$ (absorptive correction)	2
DIME	3

There are 28 candidate signal events in the elastic configuration and 3 in the anti-elastic configuration (see Table 2). These include an estimated 2.9 background events in the elastic configuration ($\approx 10\%$) and 0.2 background events ($\approx 6\%$) in the anti-elastic configuration.

The results may be compared with cross-sections provided by MC generators using the same fiducial region definition: $1.5 \mu\text{b}$ (elastic configuration) and $2 \mu\text{b}$ (anti-elastic configuration) in the case of GENEx (these have been multiplied by an absorptive correction, abs. corr.), and $1.6 \mu\text{b}$ (elastic configuration) and $3 \mu\text{b}$ (anti-elastic configuration) in the case of DIME. The absorptive correction [25] applied here to GENEx covers possible rescatterings of the particles entering the process and complicates the simple picture in Figure 1. The value used of 0.22 was communicated by its author; the correction is not included in GENEx itself and is, in general, kinematics and model dependent. It is not used in the experimental analysis, since the MC distributions are normalized to data, but only in the present comparison with the results. The measured anti-elastic cross-section has a large statistical uncertainty, and is not statistically different from zero, which prevents strong conclusions from being drawn.

7 Conclusion

A first measurement of the purely exclusive pion-pair cross-section at the LHC is presented, using $80 \mu\text{b}^{-1}$ of $\sqrt{s} = 7 \text{ TeV}$ low-luminosity pp collision data collected by the ATLAS detector. The limited statistical precision obtained excludes the present possibility of tuning or excluding any of the existing physical models for the process, but the two models that are employed here, GENEx and DIME, evaluated with the parameters provided by their authors, provide preliminary theoretical estimates. The use of the forward ALFA detectors distinguishes the present measurement from others performed at comparable energies, since both outgoing protons have been measured directly, and used to suppress contamination from beam remnants. This measurement demonstrates the potential to measure exclusive diffractive hadronic processes using forward sub-detectors in combination with the ATLAS central detector.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [43].

References

- [1] Particle Data Group, *Review of Particle Physics*, [PTEP **2020** \(2020\) 083C01](#).
- [2] R. J. Eden, *Regge poles and elementary particles*, [Rep. Prog. Phys. **34** \(1971\) 995](#).
- [3] O. C. Jacob and L. S. Kisslinger, *Applicability of asymptotic QCD for exclusive processes*, [Phys. Rev. Lett. **56** \(1986\) 225](#).
- [4] V. Gribov, *Possible asymptotic behavior of elastic scattering*, [ZhETF **41** \(1961\) 667](#).
- [5] G. F. Chew and S. C. Frautschi, *Principle of equivalence for all strongly interacting particles within the S-Matrix framework*, [Phys. Rev. Lett. **7** \(1961\) 394](#).
- [6] O. Nachtmann, *Pomeron Physics and QCD*, [New Trends in Hera Physics 2003 \(2004\) 253](#).
- [7] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, [JINST **3** \(2008\) S08003](#).

- [8] S. Abdel Khalek et al., *The ALFA Roman Pot detectors of ATLAS*, [JINST **11** \(2016\) P11013](#), arXiv: [1609.00249 \[physics.ins-det\]](#).
- [9] ATLAS Collaboration, *Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, [Nucl. Phys. B **889** \(2014\) 486](#), arXiv: [1408.5778 \[hep-ex\]](#).
- [10] A. Breakstone et al., *Inclusive Pomeron-Pomeron interactions at the CERN ISR*, [Z. Phys. C **42** \(1989\) 387](#), ISSN: 1431-5858.
- [11] A. Breakstone et al., *The reaction Pomeron-Pomeron $\rightarrow \pi^+\pi^-$ and an unusual production mechanism for the f2 (1270)*, [Z. Phys. C **48** \(1990\) 569](#).
- [12] WA91 Collaboration, *A further study of the centrally produced $\pi^+\pi^-$ and $\pi^+\pi^-\pi^+\pi^-$ channels in p p interactions at 300 GeV/c and 450 GeV/c*, [Phys. Lett. B **353** \(1995\) 589](#).
- [13] STAR Collaboration, *Measurement of the central exclusive production of charged particle pairs in proton-proton collisions at $\sqrt{s} = 200$ GeV with the STAR detector at RHIC*, [JHEP **7** \(2020\) 178](#), arXiv: [2004.11078 \[hep-ex\]](#).
- [14] CMS Collaboration, *Exclusive and semi-exclusive $\pi^+\pi^-$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV*, (2017), arXiv: [1706.08310 \[hep-ex\]](#).
- [15] CMS Collaboration, *Study of central exclusive production in proton-proton collisions at $\sqrt{s} = 5.02$ and 13 TeV*, [Eur. Phys. J. C **80** \(2020\) 718](#), ISSN: 1434-6052, arXiv: [2003.02811 \[hep-ex\]](#).
- [16] R. A. Ryutin, *Central exclusive diffractive production of two-pion continuum at hadron colliders*, [Eur. Phys. J. C **79** \(2019\) 981](#), ISSN: 1434-6052, arXiv: [1910.06683 \[hep-ph\]](#).
- [17] J. R. Pelaez, A. Rodas and J. Ruiz de Elvira, *Global parameterization of $\pi\pi$ scattering up to 2 GeV*, [Eur. Phys. J. C **79** \(2019\) 1008](#), ISSN: 1434-6052.
- [18] A. A. Godizov, *The ground state of the Pomeron and its decays to light mesons and photons*, [Eur. Phys. J. C **76** \(2016\) 361](#), ISSN: 1434-6052, arXiv: [1604.01689 \[hep-ph\]](#).
- [19] P. Lebiedowicz, O. Nachtmann and A. Szczurek, *Central exclusive diffractive production of $\pi^+\pi^-$ continuum, scalar and tensor resonances in pp and p $\bar{p}$ scattering within tensor pomeron approach*, [Phys. Rev. D **93** \(2016\) 054015](#), arXiv: [1601.04537 \[hep-ph\]](#).
- [20] P. Lebiedowicz, O. Nachtmann and A. Szczurek, *ρ^0 and Drell-Söding contributions to central exclusive production of $\pi^+\pi^-$ pairs in proton-proton collisions at high energies*, [Phys. Rev. D **91** \(2015\) 074023](#), arXiv: [1612.06294 \[hep-ph\]](#).
- [21] A. Bolz et al., *Photoproduction of $\pi^+\pi^-$ - pairs in a model with tensor-pomeron and vector-odderon exchange*, [JHEP **01** \(2015\) 151](#), ISSN: 1029-8479, arXiv: [1409.8483 \[hep-ph\]](#).
- [22] R. Ryutin, *Visualizations of exclusive central diffraction*, [Eur. Phys. J. C **74** \(2014\) 3162](#), arXiv: [1404.7678 \[hep-ph\]](#).
- [23] P. Lebiedowicz, *Exclusive reactions with light mesons: From low to high energies*, thesis, The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences (2014).
- [24] P. Lebiedowicz and A. Szczurek, *Exclusive $pp \rightarrow pp\pi^+\pi^-$ reaction: From the threshold to LHC*, [Phys. Rev. D **81** \(2010\) 036003](#), arXiv: [0912.0190 \[hep-ph\]](#).

- [25] L. A. Harland-Lang, V. A. Khoze and M. G. Ryskin, *Modelling exclusive meson pair production at hadron colliders*, [Eur. Phys. J. C **74** \(2014\) 2848](#), arXiv: [1312.4553 \[hep-ph\]](#).
- [26] M. G. Albrow, T. D. Coughlin and J. R. Forshaw, *Central exclusive particle production at high energy hadron colliders*, [Prog. Part. Nucl. Phys. **65** \(2010\) 149](#), arXiv: [1006.1289 \[hep-ph\]](#).
- [27] ATLAS Collaboration, *ATLAS inner detector: Technical Design Report, 1*, tech. rep., CERN-LHCC-97-016; ATLAS-TDR-4, 1997.
- [28] R. Kwee, *Minimum Bias Triggers at ATLAS, LHC*, (2008), arXiv: [0812.0613 \[hep-ex\]](#).
- [29] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021.
- [30] R. A. Kycia, J. Chwastowski, R. Staszewski and J. Turnau, *GenEx: A Simple Generator Structure for Exclusive Processes in High Energy Collisions*, [Commun. Comput. Phys. **24** \(2018\) 860](#), ISSN: 1991-7120.
- [31] R. A. Ryutin, *ExDiff Monte Carlo generator for Exclusive Diffraction. Version 2.0. Physics and Manual*, 2018, arXiv: [1805.08591 \[hep-ph\]](#).
- [32] L. A. Harland-Lang, V. A. Khoze and M. G. Ryskin, *Exclusive physics at the LHC with SuperChic 2*, [Eur. Phys. J. C **76** \(2016\) 9](#), ISSN: 1434-6052, arXiv: [1508.02718 \[hep-ph\]](#).
- [33] V. A. Khoze, A. D. Martin and M. G. Ryskin, *Multiple interactions and rapidity gap survival*, [J. Phys. G **45** \(2018\) 053002](#), arXiv: [1710.11505 \[hep-ph\]](#).
- [34] V. A. Khoze, A. D. Martin and M. G. Ryskin, *Diffraction at the LHC*, [Eur. Phys. J. C **73** \(2013\)](#), ISSN: 1434-6052, arXiv: [1306.2149 \[hep-ph\]](#).
- [35] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, [Comp. Phys. Comm. **178** \(2008\) 852](#), ISSN: 0010-4655, arXiv: [0710.3820 \[hep-ph\]](#).
- [36] ATLAS Collaboration, *Further ATLAS tunes of Pythia 6 and Pythia 8*, ATL-PHYS-PUB-2011-014, 2011.
- [37] G. Watt and R. S. Thorne, *Study of Monte Carlo approach to experimental uncertainty propagation with MSTW 2008 PDFs*, [JHEP \(2012\) 052](#), arXiv: [1205.4024 \[hep-ph\]](#).
- [38] S. Agostinelli et al., *GEANT4—a simulation toolkit*, [Nucl. Instrum. Meth. A **506** \(2003\) 250](#).
- [39] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, [Eur. Phys. J. C **70** \(2010\) 823](#), arXiv: [1005.4568 \[physics.ins-det\]](#).
- [40] ATLAS Collaboration, *Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC*, [New J. Phys. **13** \(2011\) 053033](#), arXiv: [1012.5104 \[hep-ex\]](#).
- [41] J. Wenninger, *Energy Calibration of the LHC Beams at 4 TeV*, tech. rep. CERN-ATS-2013-040, CERN, 2013.
- [42] ATLAS Collaboration, *Measurement of the inelastic proton–proton cross-section at $\sqrt{s} = 7$ TeV with the ATLAS detector*, [Nature Commun. **2** \(2011\) 463](#), arXiv: [1104.0326 \[hep-ex\]](#).
- [43] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023.

The ATLAS Collaboration

G. Aad ¹⁰¹, B. Abbott ¹¹⁹, D.C. Abbott ¹⁰², K. Abeling ⁵⁵, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵⁰, H. Abreu ¹⁴⁹, Y. Abulaiti ¹¹⁶, A.C. Abusleme Hoffman ^{136a}, B.S. Acharya ^{68a,68b,p}, B. Achkar ⁵⁵, C. Adam Bourdarios ⁴, L. Adamczyk ^{84a}, L. Adamek ¹⁵⁴, S.V. Addepalli ²⁶, J. Adelman ¹¹⁴, A. Adiguzel ^{21c}, S. Adorni ⁵⁶, T. Adye ¹³³, A.A. Affolder ¹³⁵, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{72a,72b}, A. Aggarwal ⁹⁹, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{129f}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰³, S. Ahuja ⁹⁴, X. Ai ⁴⁸, G. Aielli ^{75a,75b}, I. Aizenberg ¹⁶⁸, M. Akbiyik ⁹⁹, T.P.A. Åkesson ⁹⁷, A.V. Akimov ³⁷, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁴, P. Albicocco ⁵³, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, A. Alfonsi ¹¹³, F. Alfonsi ^{23b}, M. Alhroob ¹¹⁹, B. Ali ¹³¹, S. Ali ¹⁴⁷, M. Aliev ³⁷, G. Alimonti ^{70a}, W. Alkakh ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁵, P.P. Allport ²⁰, A. Aloisio ^{71a,71b}, F. Alonso ⁸⁹, C. Alpigiani ¹³⁷, E. Alunno Camelia ^{75a,75b}, M. Alvarez Estevez ⁹⁸, M.G. Alvigi ^{71a,71b}, M. Aly ¹⁰⁰, Y. Amaral Coutinho ^{81b}, A. Ambler ¹⁰³, C. Amelung ³⁶, M. Amerl ¹, C.G. Ames ¹⁰⁸, D. Amidei ¹⁰⁵, S.P. Amor Dos Santos ^{129a}, S. Amoroso ⁴⁸, K.R. Amos ¹⁶², V. Ananiev ¹²⁴, C. Anastopoulos ¹³⁸, T. Andeen ¹¹, J.K. Anders ¹⁹, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{70a,70b}, S. Angelidakis ⁹, A. Angerami ^{41,ac}, A.V. Anisenkov ³⁷, A. Annovi ^{73a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁸, E. Antipov ¹²⁰, M. Antonelli ⁵³, D.J.A. Antrim ^{17a}, F. Anulli ^{74a}, M. Aoki ⁸², T. Aoki ¹⁵², J.A. Aparisi Pozo ¹⁶², M.A. Aparo ¹⁴⁵, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, N. Aranzabal ³⁶, V. Araujo Ferraz ^{81a}, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹¹, J-F. Arguin ¹⁰⁷, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, A.J. Armbruster ³⁶, O. Arnaez ¹⁵⁴, H. Arnold ¹¹³, Z.P. Arrubarrena Tame ¹⁰⁸, G. Arttoni ^{74a,74b}, H. Asada ¹¹⁰, K. Asai ¹¹⁷, S. Asai ¹⁵², N.A. Asbah ⁶¹, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{33a}, M. Atkinson ¹⁶¹, N.B. Atlay ¹⁸, H. Atmani ^{62b}, P.A. Atmasiddha ¹⁰⁵, K. Augsten ¹³¹, S. Auricchio ^{71a,71b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁷⁰, G. Avner ¹⁴⁹, G. Avolio ³⁶, K. Axiotis ⁵⁶, M.K. Ayoub ^{14c}, G. Azuelos ^{107,ah}, D. Babal ^{28a}, H. Bachacou ¹³⁴, K. Bachas ^{151,s}, A. Bachi ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{74a,74b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶², V.R. Bailey ¹⁶¹, J.T. Baines ¹³³, C. Bakalis ¹⁰, O.K. Baker ¹⁷¹, P.J. Bakker ¹¹³, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, S. Balaji ¹⁴⁶, R. Balasubramanian ¹¹³, E.M. Baldin ³⁷, P. Balek ¹³², E. Ballabene ^{70a,70b}, F. Balli ¹³⁴, L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ⁹⁹, E. Banas ⁸⁵, M. Bandieramonte ¹²⁸, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵⁰, E.L. Barberio ¹⁰⁴, D. Barberis ^{57b,57a}, M. Barbero ¹⁰¹, G. Barbour ⁹⁵, K.N. Barends ^{33a}, T. Barillari ¹⁰⁹, M-S. Barisits ³⁶, T. Barklow ¹⁴², R.M. Barnett ^{17a}, P. Baron ¹²¹, D.A. Baron Moreno ¹⁰⁰, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁵, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁸, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵⁰, M.G. Barros Teixeira ^{129a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴², A.E. Barton ⁹⁰, P. Bartos ^{28a}, A. Basalae ⁴⁸, A. Basan ⁹⁹, M. Baselga ⁴⁹, I. Bashta ^{76a,76b}, A. Bassalat ^{66,b}, M.J. Basso ¹⁵⁴, C.R. Basson ¹⁰⁰, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴⁰, M. Battaglia ¹³⁵, D. Battulga ¹⁸, M. Bause ^{74a,74b}, P. Bauer ²⁴, A. Bayirli ^{21a}, J.B. Beacham ⁵¹, T. Beau ¹²⁶, P.H. Beauchemin ¹⁵⁷, F. Becherer ⁵⁴, P. Bechtel ²⁴, H.P. Beck ^{19,r}, K. Becker ¹⁶⁶, A.J. Beddall ^{21d}, V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁴, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{81d}, M. Begel ²⁹, A. Behera ¹⁴⁴, J.K. Behr ⁴⁸, C. Beirao Da Cruz E Silva ³⁶, J.F. Beirer ^{55,36}, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁸, G. Bella ¹⁵⁰, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, K. Belotskiy ³⁷, N.L. Belyaev ³⁷, D. Benckekroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵⁰, D.P. Benjamin ²⁹, M. Benoit ²⁹, J.R. Bensinger ²⁶,

S. Bentvelsen ^{id113}, L. Beresford ^{id36}, M. Beretta ^{id53}, D. Berge ^{id18}, E. Bergeaas Kuutmann ^{id160},
 N. Berger ^{id4}, B. Bergmann ^{id131}, J. Beringer ^{id17a}, S. Berlendis ^{id7}, G. Bernardi ^{id5}, C. Bernius ^{id142},
 F.U. Bernlochner ^{id24}, T. Berry ^{id94}, P. Berta ^{id132}, A. Berthold ^{id50}, I.A. Bertram ^{id90}, S. Bethke ^{id109},
 A. Betti ^{id74a,74b}, A.J. Bevan ^{id93}, M. Bhamjee ^{id33c}, S. Bhatta ^{id144}, D.S. Bhattacharya ^{id165},
 P. Bhattarai ^{id26}, V.S. Bhopatkar ^{id120}, R. Bi^{29,ak}, R.M. Bianchi ^{id128}, O. Biebel ^{id108}, R. Bielski ^{id122},
 M. Biglietti ^{id76a}, T.R.V. Billoud ^{id131}, M. Bindi ^{id55}, A. Bingul ^{id21b}, C. Bini ^{id74a,74b}, S. Biondi ^{id23b,23a},
 A. Biondini ^{id91}, C.J. Birch-sykes ^{id100}, G.A. Bird ^{id20,133}, M. Birman ^{id168}, T. Bisanz ^{id36},
 E. Bisceglie ^{id43b,43a}, D. Biswas ^{id169,1}, A. Bitadze ^{id100}, K. Bjørke ^{id124}, I. Bloch ^{id48}, C. Blocker ^{id26},
 A. Blue ^{id59}, U. Blumenschein ^{id93}, J. Blumenthal ^{id99}, G.J. Bobbink ^{id113}, V.S. Bobrovnikov ^{id37},
 M. Boehler ^{id54}, D. Bogavac ^{id36}, A.G. Bogdanchikov ^{id37}, C. Bohm ^{id47a}, V. Boisvert ^{id94}, P. Bokan ^{id48},
 T. Bold ^{id84a}, M. Bomben ^{id5}, M. Bona ^{id93}, M. Boonekamp ^{id134}, C.D. Booth ^{id94}, A.G. Borbély ^{id59},
 H.M. Borecka-Bielska ^{id107}, L.S. Borgna ^{id95}, G. Borissov ^{id90}, D. Bortoletto ^{id125}, D. Boscherini ^{id23b},
 M. Bosman ^{id13}, J.D. Bossio Sola ^{id36}, K. Bouaouda ^{id35a}, N. Bouchhar ^{id162}, J. Boudreau ^{id128},
 E.V. Bouhova-Thacker ^{id90}, D. Boumediene ^{id40}, R. Bouquet ^{id5}, A. Boveia ^{id118}, J. Boyd ^{id36},
 D. Boye ^{id29}, I.R. Boyko ^{id38}, J. Bracinik ^{id20}, N. Brahimi ^{id62d}, G. Brandt ^{id170}, O. Brandt ^{id32},
 F. Braren ^{id48}, B. Brau ^{id102}, J.E. Brau ^{id122}, K. Brendlinger ^{id48}, R. Brenner ^{id168}, L. Brenner ^{id113},
 R. Brenner ^{id160}, S. Bressler ^{id168}, B. Brickwedde ^{id99}, D. Britton ^{id59}, D. Britzger ^{id109}, I. Brock ^{id24},
 G. Brooijmans ^{id41}, W.K. Brooks ^{id136f}, E. Brost ^{id29}, T.L. Bruckler ^{id125},
 P.A. Bruckman de Renstrom ^{id85}, B. Brüers ^{id48}, D. Bruncko ^{id28b,*}, A. Bruni ^{id23b}, G. Bruni ^{id23b},
 M. Bruschi ^{id23b}, N. Bruscino ^{id74a,74b}, L. Bryngemark ^{id142}, T. Buanes ^{id16}, Q. Buat ^{id137},
 P. Buchholz ^{id140}, A.G. Buckley ^{id59}, I.A. Budagov ^{id38,*}, M.K. Bugge ^{id124}, O. Bulekov ^{id37},
 B.A. Bullard ^{id61}, S. Burdin ^{id91}, C.D. Burgard ^{id48}, A.M. Burger ^{id40}, B. Burghgrave ^{id8}, J.T.P. Burr ^{id32},
 C.D. Burton ^{id11}, J.C. Burzynski ^{id141}, E.L. Busch ^{id41}, V. Büscher ^{id99}, P.J. Bussey ^{id59}, J.M. Butler ^{id25},
 C.M. Buttar ^{id59}, J.M. Butterworth ^{id95}, W. Buttinger ^{id133}, C.J. Buxo Vazquez ^{id106}, A.R. Buzykaev ^{id37},
 G. Cabras ^{id23b}, S. Cabrera Urbán ^{id162}, D. Caforio ^{id58}, H. Cai ^{id128}, Y. Cai ^{id14a,14d}, V.M.M. Cairo ^{id36},
 O. Cakir ^{id3a}, N. Calace ^{id36}, P. Calafiura ^{id17a}, G. Calderini ^{id126}, P. Calfayan ^{id67}, G. Callea ^{id59},
 L.P. Caloba^{81b}, D. Calvet ^{id40}, S. Calvet ^{id40}, T.P. Calvet ^{id101}, M. Calvetti ^{id73a,73b},
 R. Camacho Toro ^{id126}, S. Camarda ^{id36}, D. Camarero Munoz ^{id26}, P. Camarri ^{id75a,75b},
 M.T. Camerlingo ^{id76a,76b}, D. Cameron ^{id124}, C. Camincher ^{id164}, M. Campanelli ^{id95}, A. Camplani ^{id42},
 V. Canale ^{id71a,71b}, A. Canesse ^{id103}, M. Cano Bret ^{id79}, J. Cantero ^{id162}, Y. Cao ^{id161}, F. Capocasa ^{id26},
 M. Capua ^{id43b,43a}, A. Carbone ^{id70a,70b}, R. Cardarelli ^{id75a}, J.C.J. Cardenas ^{id8}, F. Cardillo ^{id162},
 T. Carli ^{id36}, G. Carlino ^{id71a}, J.I. Carlotto ^{id13}, B.T. Carlson ^{id128,t}, E.M. Carlson ^{id164,155a},
 L. Carminati ^{id70a,70b}, M. Carnesale ^{id74a,74b}, S. Caron ^{id112}, E. Carquin ^{id136f}, S. Carrá ^{id70a},
 G. Carratta ^{id23b,23a}, F. Carrio Argos ^{id33g}, J.W.S. Carter ^{id154}, T.M. Carter ^{id52}, M.P. Casado ^{id13,i},
 A.F. Casha¹⁵⁴, E.G. Castiglia ^{id171}, F.L. Castillo ^{id63a}, L. Castillo Garcia ^{id13}, V. Castillo Gimenez ^{id162},
 N.F. Castro ^{id129a,129e}, A. Catinaccio ^{id36}, J.R. Catmore ^{id124}, V. Cavaliere ^{id29}, N. Cavalli ^{id23b,23a},
 V. Cavasinni ^{id73a,73b}, E. Celebi ^{id21a}, F. Celli ^{id125}, M.S. Centonze ^{id69a,69b}, K. Cerny ^{id121},
 A.S. Cerqueira ^{id81a}, A. Cerri ^{id145}, L. Cerrito ^{id75a,75b}, F. Cerutti ^{id17a}, A. Cervelli ^{id23b}, S.A. Cetin ^{id21d},
 Z. Chadi ^{id35a}, D. Chakraborty ^{id114}, M. Chala ^{id129f}, J. Chan ^{id169}, W.Y. Chan ^{id152}, J.D. Chapman ^{id32},
 B. Chargeishvili ^{id148b}, D.G. Charlton ^{id20}, T.P. Charman ^{id93}, M. Chatterjee ^{id19}, S. Chekanov ^{id6},
 S.V. Chekulaev ^{id155a}, G.A. Chelkov ^{id38,a}, A. Chen ^{id105}, B. Chen ^{id150}, B. Chen ^{id164}, C. Chen ^{id62a},
 H. Chen ^{id14c}, H. Chen ^{id29}, J. Chen ^{id62c}, J. Chen ^{id26}, S. Chen ^{id152}, S.J. Chen ^{id14c}, X. Chen ^{id62c},
 X. Chen ^{id14b,ag}, Y. Chen ^{id62a}, C.L. Cheng ^{id169}, H.C. Cheng ^{id64a}, S. Cheong ^{id142}, A. Cheplakov ^{id38},
 E. Cheremushkina ^{id48}, E. Cherepanova ^{id113}, R. Cherkaoui El Moursli ^{id35e}, E. Cheu ^{id7}, K. Cheung ^{id65},
 L. Chevalier ^{id134}, V. Chiarella ^{id53}, G. Chiarelli ^{id73a}, N. Chiedde ^{id101}, G. Chiodini ^{id69a},
 A.S. Chisholm ^{id20}, A. Chitan ^{id27b}, M. Chitishvili ^{id162}, Y.H. Chiu ^{id164}, M.V. Chizhov ^{id38}, K. Choi ^{id11},
 A.R. Chomont ^{id74a,74b}, Y. Chou ^{id102}, E.Y.S. Chow ^{id113}, T. Chowdhury ^{id33g}, L.D. Christopher ^{id33g},

K.L. Chu ^{64a}, M.C. Chu ^{64a}, X. Chu ^{14a,14d}, J. Chudoba ¹³⁰, J.J. Chwastowski ⁸⁵, D. Cieri ¹⁰⁹, K.M. Ciesla ^{84a}, V. Cindro ⁹², A. Cicio ^{17a}, F. Cirotto ^{71a,71b}, Z.H. Citron ^{168,m}, M. Citterio ^{70a}, D.A. Ciubotaru ^{27b}, B.M. Ciungu ¹⁵⁴, A. Clark ⁵⁶, P.J. Clark ⁵², J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ¹⁰⁰, C. Clement ^{47a,47b}, J. Clercx ⁴⁸, L. Clissa ^{23b,23a}, Y. Coadou ¹⁰¹, M. Cobal ^{68a,68c}, A. Coccaro ^{57b}, R.F. Coelho Barrue ^{129a}, R. Coelho Lopes De Sa ¹⁰², S. Coelli ^{70a}, H. Cohen ¹⁵⁰, A.E.C. Coimbra ^{70a,70b}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{129a,129g}, M.P. Connell ^{33c}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁵, F. Conventi ^{71a,ai}, H.G. Cooke ²⁰, A.M. Cooper-Sarkar ¹²⁵, F. Cormier ¹⁶³, L.D. Corpe ³⁶, M. Corradi ^{74a,74b}, E.E. Corrigan ⁹⁷, F. Corriveau ^{103,y}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶², F. Costanza ⁴, D. Costanzo ¹³⁸, B.M. Cote ¹¹⁸, G. Cowan ⁹⁴, J.W. Cowley ³², K. Cranmer ¹¹⁶, S. Crépe-Renaudin ⁶⁰, F. Crescioli ¹²⁶, M. Cristinziani ¹⁴⁰, M. Cristoforetti ^{77a,77b,d}, V. Croft ¹⁵⁷, G. Crosetti ^{43b,43a}, A. Cueto ³⁶, T. Cuhadar Donszelmann ¹⁵⁹, H. Cui ^{14a,14d}, Z. Cui ⁷, A.R. Cukierman ¹⁴², W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a}, P. Czodrowski ³⁶, M.M. Czurylo ^{63b}, M.J. Da Cunha Sargedas De Sousa ^{62a}, J.V. Da Fonseca Pinto ^{81b}, C. Da Via ¹⁰⁰, W. Dabrowski ^{84a}, T. Dado ⁴⁹, S. Dahbi ^{33g}, T. Dai ¹⁰⁵, C. Dallapiccola ¹⁰², M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹⁰⁸, J. Damp ⁹⁹, J.R. Dandoy ¹²⁷, M.F. Daneri ³⁰, M. Danninger ¹⁴¹, V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶, S.J. Das ^{29,ak}, S. D'Auria ^{70a,70b}, C. David ^{155b}, T. Davidek ¹³², D.R. Davis ⁵¹, B. Davis-Purcell ³⁴, I. Dawson ⁹³, K. De ⁸, R. De Asmundis ^{71a}, M. De Beurs ¹¹³, N. De Biase ⁴⁸, S. De Castro ^{23b,23a}, N. De Groot ¹¹², P. de Jong ¹¹³, H. De la Torre ¹⁰⁶, A. De Maria ^{14c}, A. De Salvo ^{74a}, U. De Sanctis ^{75a,75b}, A. De Santo ¹⁴⁵, J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degens ¹¹³, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a}, J. Del Peso ⁹⁸, F. Del Rio ^{63a}, F. Deliot ¹³⁴, C.M. Delitzsch ⁴⁹, M. Della Pietra ^{71a,71b}, D. Della Volpe ⁵⁶, A. Dell'Acqua ³⁶, L. Dell'Asta ^{70a,70b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰, S. Demers ¹⁷¹, M. Demichev ³⁸, S.P. Denisov ³⁷, L. D'Eramo ¹¹⁴, D. Derendarz ⁸⁵, F. Derue ¹²⁶, P. Dervan ⁹¹, K. Desch ²⁴, K. Dette ¹⁵⁴, C. Deutsch ²⁴, P.O. Deviveiros ³⁶, F.A. Di Bello ^{74a,74b}, A. Di Ciaccio ^{75a,75b}, L. Di Ciaccio ⁴, A. Di Domenico ^{74a,74b}, C. Di Donato ^{71a,71b}, A. Di Girolamo ³⁶, G. Di Gregorio ^{73a,73b}, A. Di Luca ^{77a,77b}, B. Di Micco ^{76a,76b}, R. Di Nardo ^{76a,76b}, C. Diaconu ¹⁰¹, F.A. Dias ¹¹³, T. Dias Do Vale ¹⁴¹, M.A. Diaz ^{136a,136b}, F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶², E.B. Diehl ¹⁰⁵, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸, C. Diez Pardos ¹⁴⁰, C. Dimitriadi ^{24,160}, A. Dimitrievska ^{17a}, W. Ding ^{14b}, J. Dingfelder ²⁴, I-M. Dinu ^{27b}, S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ¹⁰¹, T. Djobava ^{148b}, J.I. Djuvsland ¹⁶, C. Doglioni ^{100,97}, J. Dolejsi ¹³², Z. Dolezal ¹³², M. Donadelli ^{81c}, B. Dong ^{62c}, J. Donini ⁴⁰, A. D'Onofrio ^{14c}, M. D'Onofrio ⁹¹, J. Dopke ¹³³, A. Doria ^{71a}, M.T. Dova ⁸⁹, A.T. Doyle ⁵⁹, M.A. Draguet ¹²⁵, E. Drechsler ¹⁴¹, E. Dreyer ¹⁶⁸, I. Drivas-koulouris ¹⁰, A.S. Drobac ¹⁵⁷, M. Drozdova ⁵⁶, D. Du ^{62a}, T.A. du Pree ¹¹³, F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁶⁸, G. Duckeck ¹⁰⁸, O.A. Ducu ^{27b}, D. Duda ¹⁰⁹, A. Dudarev ³⁶, M. D'uffizi ¹⁰⁰, L. Duflost ⁶⁶, M. Dührssen ³⁶, C. Dülzen ¹⁷⁰, A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹, K. Dunne ^{47a,47b}, A. Duperrin ¹⁰¹, H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{148b}, B.L. Dwyer ¹¹⁴, G.I. Dyckes ^{17a}, M. Dyndal ^{84a}, S. Dysch ¹⁰⁰, B.S. Dziedzic ⁸⁵, Z.O. Earnshaw ¹⁴⁵, B. Eckerova ^{28a}, M.G. Eggleston ⁵¹, E. Egidio Purcino De Souza ^{81b}, L.F. Ehrke ⁵⁶, G. Eigen ¹⁶, K. Einsweiler ^{17a}, T. Ekelof ¹⁶⁰, P.A. Ekman ⁹⁷, Y. El Ghazali ^{35b}, H. El Jarrari ^{35e,147}, A. El Moussaouy ^{35a}, V. Ellajosyula ¹⁶⁰, M. Ellert ¹⁶⁰, F. Ellinghaus ¹⁷⁰, A.A. Elliot ⁹³, N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsing ³⁶, D. Emelianov ¹³³, A. Emerman ⁴¹, Y. Enari ¹⁵², I. Ene ^{17a}, S. Epari ¹³, J. Erdmann ^{49,ae}, A. Ereditato ¹⁹, P.A. Erland ⁸⁵, M. Errenst ¹⁷⁰, M. Escalier ⁶⁶, C. Escobar ¹⁶², E. Etzion ¹⁵⁰, G. Evans ^{129a}, H. Evans ⁶⁷, M.O. Evans ¹⁴⁵, A. Ezhilov ³⁷, S. Ezzarqtouni ^{35a}, F. Fabbri ⁵⁹, L. Fabbri ^{23b,23a}, G. Facini ⁹⁵, V. Fadeyev ¹³⁵, R.M. Fakhruddinov ³⁷, S. Falciano ^{74a}, P.J. Falke ²⁴, S. Falke ³⁶, J. Faltova ¹³²,

Y. Fan ^{14a}, Y. Fang ^{14a,14d}, G. Fanourakis ⁴⁶, M. Fanti ^{70a,70b}, M. Faraj ^{68a,68b}, A. Farbin ⁸, A. Farilla ^{76a}, T. Farooque ¹⁰⁶, S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹, M. Faucci Giannelli ^{75a,75b}, W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federicova ¹³⁰, O.L. Fedin ^{37,a}, G. Fedotov ³⁷, M. Feickert ¹⁶¹, L. Feligioni ¹⁰¹, A. Fell ¹³⁸, D.E. Fellers ¹²², C. Feng ^{62b}, M. Feng ^{14b}, Z. Feng ¹¹³, M.J. Fenton ¹⁵⁹, A.B. Fenyuk ³⁷, L. Ferencz ⁴⁸, S.W. Ferguson ⁴⁵, J. Ferrando ⁴⁸, A. Ferrari ¹⁶⁰, P. Ferrari ^{113,112}, R. Ferrari ^{72a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁵, F. Fiedler ⁹⁹, A. Filipčič ⁹², E.K. Filmer ¹, F. Filthaut ¹¹², M.C.N. Fiolhais ^{129a,129c,c}, L. Fiorini ¹⁶², F. Fischer ¹⁴⁰, W.C. Fisher ¹⁰⁶, T. Fitschen ²⁰, I. Fleck ¹⁴⁰, P. Fleischmann ¹⁰⁵, T. Flick ¹⁷⁰, L. Flores ¹²⁷, M. Flores ^{33d,ad}, L.R. Flores Castillo ^{64a}, F.M. Follega ^{77a,77b}, N. Fomin ¹⁶, J.H. Foo ¹⁵⁴, B.C. Forland ⁶⁷, A. Formica ¹³⁴, A.C. Forti ¹⁰⁰, E. Fortin ¹⁰¹, A.W. Fortman ⁶¹, M.G. Foti ^{17a}, L. Fountas ^{9j}, D. Fournier ⁶⁶, H. Fox ⁹⁰, P. Francavilla ^{73a,73b}, S. Francescato ⁶¹, M. Franchini ^{23b,23a}, S. Franchino ^{63a}, D. Francis ³⁶, L. Franco ¹¹², L. Franconi ¹⁹, M. Franklin ⁶¹, G. Frattari ²⁶, A.C. Freegard ⁹³, P.M. Freeman ²⁰, W.S. Freund ^{81b}, N. Fritzsche ⁵⁰, A. Froch ⁵⁴, D. Froidevaux ³⁶, J.A. Frost ¹²⁵, Y. Fu ^{62a}, M. Fujimoto ¹¹⁷, E. Fullana Torregrosa ^{162,*}, J. Fuster ¹⁶², A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁵⁴, P. Gadow ⁴⁸, G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, G.E. Gallardo ¹²⁵, E.J. Gallas ¹²⁵, B.J. Gallop ¹³³, R. Gamboa Goni ⁹³, K.K. Gan ¹¹⁸, S. Ganguly ¹⁵², J. Gao ^{62a}, Y. Gao ⁵², F.M. Garay Walls ^{136a,136b}, B. Garcia ²⁹, C. García ¹⁶², J.E. García Navarro ¹⁶², J.A. García Pascual ^{14a}, M. Garcia-Sciveres ^{17a}, R.W. Gardner ³⁹, D. Garg ⁷⁹, R.B. Garg ^{142,q}, S. Gargiulo ⁵⁴, C.A. Garner ¹⁵⁴, V. Garonne ²⁹, S.J. Gasiorowski ¹³⁷, P. Gaspar ^{81b}, G. Gaudio ^{72a}, V. Gautam ¹³, P. Gauzzi ^{74a,74b}, I.L. Gavrilenko ³⁷, A. Gavrilyuk ³⁷, C. Gay ¹⁶³, G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b,27e}, C.M. Gee ¹³⁵, J. Geisen ⁹⁷, M. Geisen ⁹⁹, C. Gemme ^{57b}, M.H. Genest ⁶⁰, S. Gentile ^{74a,74b}, S. George ⁹⁴, W.F. George ²⁰, T. Geralis ⁴⁶, L.O. Gerlach ⁵⁵, P. Gessinger-Befurt ³⁶, M. Ghasemi Bostanabad ¹⁶⁴, M. Ghneimat ¹⁴⁰, K. Ghorbanian ⁹³, A. Ghosal ¹⁴⁰, A. Ghosh ¹⁵⁹, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{74a,74b}, N. Giangiacomi ¹⁵⁴, P. Giannetti ^{73a}, A. Giannini ^{62a}, S.M. Gibson ⁹⁴, M. Gignac ¹³⁵, D.T. Gil ^{84b}, A.K. Gilbert ^{84a}, B.J. Gilbert ⁴¹, D. Gillberg ³⁴, G. Gilles ¹¹³, N.E.K. Gillwald ⁴⁸, L. Ginabat ¹²⁶, D.M. Gingrich ^{2,ah}, M.P. Giordani ^{68a,68c}, P.F. Giraud ¹³⁴, G. Giugliarelli ^{68a,68c}, D. Giugni ^{70a}, F. Giuli ³⁶, I. Gkialas ^{9j}, L.K. Gladilin ³⁷, C. Glasman ⁹⁸, G.R. Gledhill ¹²², M. Glisic ¹²², I. Gnesi ^{43b,f}, Y. Go ^{29,ak}, M. Goblirsch-Kolb ²⁶, D. Godin ¹⁰⁷, S. Goldfarb ¹⁰⁴, T. Golling ⁵⁶, M.G.D. Gololo ^{33g}, D. Golubkov ³⁷, J.P. Gombas ¹⁰⁶, A. Gomes ^{129a,129b}, G. Gomes Da Silva ¹⁴⁰, A.J. Gomez Delegido ¹⁶², R. Goncalves Gama ⁵⁵, R. Gonçalves ^{129a,129c}, G. Gonella ¹²², L. Gonella ²⁰, A. Gongadze ³⁸, F. Gonnella ²⁰, J.L. Gonski ⁴¹, R.Y. González Andana ⁵², S. González de la Hoz ¹⁶², S. Gonzalez Fernandez ¹³, R. Gonzalez Lopez ⁹¹, C. Gonzalez Renteria ^{17a}, R. Gonzalez Suarez ¹⁶⁰, S. Gonzalez-Sevilla ⁵⁶, G.R. Gonzalvo Rodriguez ¹⁶², L. Goossens ³⁶, N.A. Gorasia ²⁰, P.A. Gorbounov ³⁷, B. Gorini ³⁶, E. Gorini ^{69a,69b}, A. Gorišek ⁹², A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸, C.A. Gottardo ³⁶, M. Goughri ^{35b}, V. Goumarre ⁴⁸, A.G. Goussiou ¹³⁷, N. Govender ^{33c}, C. Goy ⁴, I. Grabowska-Bold ^{84a}, K. Graham ³⁴, E. Gramstad ¹²⁴, S. Grancagnolo ¹⁸, M. Grandi ¹⁴⁵, V. Gratchev ^{37,*}, P.M. Gravila ^{27f}, F.G. Gravili ^{69a,69b}, H.M. Gray ^{17a}, M. Greco ^{69a,69b}, C. Greife ²⁴, I.M. Gregor ⁴⁸, P. Grenier ¹⁴², C. Grieco ¹³, A.A. Grillo ¹³⁵, K. Grimm ^{31,n}, S. Grinstein ^{13,v}, J.-F. Grivaz ⁶⁶, E. Gross ¹⁶⁸, J. Grosse-Knetter ⁵⁵, C. Grud ¹⁰⁵, A. Grummer ¹¹¹, J.C. Grundy ¹²⁵, L. Guan ¹⁰⁵, W. Guan ¹⁶⁹, C. Gubbels ¹⁶³, J.G.R. Guerrero Rojas ¹⁶², G. Guerrieri ^{68a,68b}, F. Guescini ¹⁰⁹, R. Gugel ⁹⁹, J.A.M. Guhit ¹⁰⁵, A. Guida ⁴⁸, T. Guillemin ⁴, E. Guilloton ^{166,133}, S. Guindon ³⁶, F. Guo ^{14a,14d}, J. Guo ^{62c}, L. Guo ⁶⁶, Y. Guo ¹⁰⁵, R. Gupta ⁴⁸, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴, G. Gustavino ³⁶, M. Guth ⁵⁶, P. Gutierrez ¹¹⁹, L.F. Gutierrez Zagazeta ¹²⁷, C. Gutschow ⁹⁵, C. Guyot ¹³⁴, C. Gwenlan ¹²⁵, C.B. Gwilliam ⁹¹,

E.S. Haaland ¹²⁴, A. Haas ¹¹⁶, M. Habedank ⁴⁸, C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeef ⁹⁹, S. Hadzic ¹⁰⁹, E.H. Haines ⁹⁵, M. Haleem ¹⁶⁵, J. Haley ¹²⁰, J.J. Hall ¹³⁸, G.D. Hallewell ¹⁰¹, L. Halser ¹⁹, P. Hamal ¹²¹, K. Hamano ¹⁶⁴, H. Hamdaoui ^{35e}, M. Hamer ²⁴, G.N. Hamity ⁵², J. Han ^{62b}, K. Han ^{62a}, L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁴, K. Hanagaki ⁸², M. Hance ¹³⁵, D.A. Hangal ^{41,ac}, H. Hanif ¹⁴¹, M.D. Hank ³⁹, R. Hankache ¹⁰⁰, J.B. Hansen ⁴², J.D. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁶, D. Harada ⁵⁶, T. Harenberg ¹⁷⁰, S. Harkusha ³⁷, Y.T. Harris ¹²⁵, N.M. Harrison ¹¹⁸, P.F. Harrison ¹⁶⁶, N.M. Hartman ¹⁴², N.M. Hartmann ¹⁰⁸, Y. Hasegawa ¹³⁹, A. Hasib ⁵², S. Haug ¹⁹, R. Hauser ¹⁰⁶, M. Havranek ¹³¹, C.M. Hawkes ²⁰, R.J. Hawkings ³⁶, S. Hayashida ¹¹⁰, D. Hayden ¹⁰⁶, C. Hayes ¹⁰⁵, R.L. Hayes ¹⁶³, C.P. Hays ¹²⁵, J.M. Hays ⁹³, H.S. Hayward ⁹¹, F. He ^{62a}, Y. He ¹⁵³, Y. He ¹²⁶, M.P. Heath ⁵², V. Hedberg ⁹⁷, A.L. Heggelund ¹²⁴, N.D. Hehir ^{93,*}, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸⁰, J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁷, J.J. Heinrich ¹²², L. Heinrich ^{109,af}, J. Hejbal ¹³⁰, L. Helary ⁴⁸, A. Held ¹⁶⁹, S. Hellesund ¹²⁴, C.M. Helling ¹⁶³, S. Hellman ^{47a,47b}, C. Helsens ³⁶, R.C.W. Henderson ⁹⁰, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁷, Y. Hernández Jiménez ¹⁴⁴, M.G. Herrmann ¹⁰⁸, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁸, L. Hervas ³⁶, N.P. Hessey ^{155a}, H. Hibi ⁸³, E. Higón-Rodríguez ¹⁶², S.J. Hillier ²⁰, I. Hinchliffe ^{17a}, F. Hinterkeuser ²⁴, M. Hirose ¹²³, S. Hirose ¹⁵⁶, D. Hirschbuehl ¹⁷⁰, T.G. Hitchings ¹⁰⁰, B. Hiti ⁹², J. Hobbs ¹⁴⁴, R. Hobincu ^{27e}, N. Hod ¹⁶⁸, M.C. Hodgkinson ¹³⁸, B.H. Hodgkinson ³², A. Hoecker ³⁶, J. Hofer ⁴⁸, D. Hohn ⁵⁴, T. Holm ²⁴, M. Holzbock ¹⁰⁹, L.B.A.H. Hommels ³², B.P. Honan ¹⁰⁰, J. Hong ^{62c}, T.M. Hong ¹²⁸, Y. Hong ⁵⁵, J.C. Honig ⁵⁴, A. Hönle ¹⁰⁹, B.H. Hooberman ¹⁶¹, W.H. Hopkins ⁶, Y. Horii ¹¹⁰, S. Hou ¹⁴⁷, A.S. Howard ⁹², J. Howarth ⁵⁹, J. Hoya ⁶, M. Hrabovsky ¹²¹, A. Hrynevich ⁴⁸, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁷, Q. Hu ^{41,ac}, Y.F. Hu ^{14a,14d,aj}, D.P. Huang ⁹⁵, S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{62a}, Y. Huang ^{14a}, Z. Huang ¹⁰⁰, Z. Hubacek ¹³¹, M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁵, M. Huhtinen ³⁶, S.K. Huiberts ¹⁶, R. Hulsken ¹⁰³, N. Huseynov ^{12,a}, J. Huston ¹⁰⁶, J. Huth ⁶¹, R. Hyneman ¹⁴², S. Hyrych ^{28a}, G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴⁰, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{71a,71b}, R. Iguchi ¹⁵², T. Iizawa ⁵⁶, Y. Ikegami ⁸², A. Ilg ¹⁹, N. Ilic ¹⁵⁴, H. Imam ^{35a}, T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{72a,72b}, M. Iodice ^{76a}, V. Ippolito ^{74a,74b}, M. Ishino ¹⁵², W. Islam ¹⁶⁹, C. Issever ^{18,48}, S. Istin ^{21a,am}, H. Ito ¹⁶⁷, J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{77a,77b}, A. Ivina ¹⁶⁸, J.M. Izen ⁴⁵, V. Izzo ^{71a}, P. Jacka ^{130,131}, P. Jackson ¹, R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴¹, C.S. Jagfeld ¹⁰⁸, G. Jäkel ¹⁷⁰, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁸, J. Jamieson ⁵⁹, K.W. Janas ^{84a}, G. Jarlskog ⁹⁷, A.E. Jaspan ⁹¹, M. Javurkova ¹⁰², F. Jeanneau ¹³⁴, L. Jeanty ¹²², J. Jejelava ^{148a,aa}, P. Jenni ^{54,g}, C.E. Jessiman ³⁴, S. Jézéquel ⁴, J. Jia ¹⁴⁴, X. Jia ⁶¹, X. Jia ^{14a,14d}, Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁵², J. Jimenez Pena ¹⁰⁹, S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵³, P. Johansson ¹³⁸, K.A. Johns ⁷, D.M. Jones ³², E. Jones ¹⁶⁶, P. Jones ³², R.W.L. Jones ⁹⁰, T.J. Jones ⁹¹, R. Joshi ¹¹⁸, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ³⁶, A. Juste Rozas ^{13,v}, S. Kabana ^{136e}, A. Kaczmarzka ⁸⁵, M. Kado ^{74a,74b}, H. Kagan ¹¹⁸, M. Kagan ¹⁴², A. Kahn ⁴¹, A. Kahn ¹²⁷, C. Kahra ⁹⁹, T. Kaji ¹⁶⁷, E. Kajomovitz ¹⁴⁹, N. Kakati ¹⁶⁸, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁴, S. Kanayama ¹⁵³, N.J. Kang ¹³⁵, Y. Kano ¹¹⁰, D. Kar ^{33g}, K. Karava ¹²⁵, M.J. Kareem ^{155b}, E. Karentzos ⁵⁴, I. Karkanias ¹⁵¹, S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹⁰, A.N. Karyukhin ³⁷, E. Kasimi ¹⁵¹, C. Kato ^{62d}, J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹³⁹, K. Kawagoe ⁸⁸, T. Kawamoto ¹³⁴, G. Kawamura ⁵⁵, E.F. Kay ¹⁶⁴, F.I. Kaya ¹⁵⁷, S. Kazakos ¹³, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁴, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁴, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁵, D. Kelsey ¹⁴⁵, J.J. Kempster ²⁰, K.E. Kennedy ⁴¹, P.D. Kennedy ⁹⁹, O. Kepka ¹³⁰, B.P. Kerridge ¹⁶⁶, S. Kersten ¹⁷⁰, B.P. Kerševan ⁹², S. Keshri ⁶⁶, L. Keszeghova ^{28a}, S. Ketabchi Haghighat ¹⁵⁴,

M. Khandoga ¹²⁶, A. Khanov ¹²⁰, A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁷,
T.J. Khoo ¹⁸, G. Khorauli ¹⁶⁵, J. Khubua ^{148b}, Y.A.R. Khwaira ⁶⁶, M. Kiehn ³⁶,
A. Kilgallon ¹²², D.W. Kim ^{47a,47b}, E. Kim ¹⁵³, Y.K. Kim ³⁹, N. Kimura ⁹⁵, A. Kirchhoff ⁵⁵,
D. Kirchmeier ⁵⁰, C. Kirfel ²⁴, J. Kirk ¹³³, A.E. Kiryunin ¹⁰⁹, T. Kishimoto ¹⁵², D.P. Kisliuk ¹⁵⁴,
C. Kitsaki ¹⁰, O. Kivernyk ²⁴, M. Klassen ^{63a}, C. Klein ³⁴, L. Klein ¹⁶⁵, M.H. Klein ¹⁰⁵,
M. Klein ⁹¹, S.B. Klein ⁵⁶, U. Klein ⁹¹, P. Klimek ³⁶, A. Klimentov ²⁹, F. Klimpel ¹⁰⁹,
T. Klingl ²⁴, T. Klioutchnikova ³⁶, F.F. Klitzner ¹⁰⁸, P. Kluit ¹¹³, S. Kluth ¹⁰⁹, E. Kneringer ⁷⁸,
T.M. Knight ¹⁵⁴, A. Knue ⁵⁴, D. Kobayashi ⁸⁸, R. Kobayashi ⁸⁶, M. Kocian ¹⁴², P. Kodyš ¹³²,
D.M. Koeck ¹⁴⁵, P.T. Koenig ²⁴, T. Koffas ³⁴, N.M. Köhler ³⁶, M. Kolb ¹³⁴, I. Koletsou ⁴,
T. Komarek ¹²¹, K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁷, N. Konstantinidis ⁹⁵, B. Konya ⁹⁷,
R. Kopeliansky ⁶⁷, S. Koperny ^{84a}, K. Korcyl ⁸⁵, K. Kordas ¹⁵¹, G. Koren ¹⁵⁰, A. Korn ⁹⁵,
S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹³, O. Kortner ¹⁰⁹, S. Kortner ¹⁰⁹,
W.H. Kostecka ¹¹⁴, V.V. Kostyukhin ¹⁴⁰, A. Kotsokechagia ¹³⁴, A. Kotwal ⁵¹, A. Koulouris ³⁶,
A. Kourkoumeli-Charalampidi ^{72a,72b}, C. Kourkoumelis ⁹, E. Kourlitis ⁶, O. Kovanda ¹⁴⁵,
R. Kowalewski ¹⁶⁴, W. Kozanecki ¹³⁴, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹²,
P. Kramer ⁹⁹, M.W. Krasny ¹²⁶, A. Krasznahorkay ³⁶, J.A. Kremer ⁹⁹, T. Kresse ⁵⁰,
J. Kretschmar ⁹¹, K. Kreul ¹⁸, P. Krieger ¹⁵⁴, F. Krieter ¹⁰⁸, S. Krishnamurthy ¹⁰²,
A. Krishnan ^{63b}, M. Krivos ¹³², K. Krizka ^{17a}, K. Kroeninger ⁴⁹, H. Kroha ¹⁰⁹, J. Kroll ¹³⁰,
J. Kroll ¹²⁷, K.S. Krowpman ¹⁰⁶, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸⁰, M.C. Kruse ⁵¹,
J.A. Krzysiak ⁸⁵, A. Kubota ¹⁵³, O. Kuchinskaia ³⁷, S. Kuday ^{3a}, D. Kuechler ⁴⁸,
J.T. Kuechler ⁴⁸, S. Kuehn ³⁶, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a},
S. Kuleshov ^{136d,136b}, M. Kumar ^{33g}, N. Kumari ¹⁰¹, A. Kupco ¹³⁰, T. Kupfer ⁴⁹, A. Kupich ³⁷,
O. Kuprash ⁵⁴, H. Kurashige ⁸³, L.L. Kurchaninov ^{155a}, Y.A. Kurochkin ³⁷, A. Kurova ³⁷,
M. Kuze ¹⁵³, A.K. Kvam ¹⁰², J. Kvita ¹²¹, T. Kwan ¹⁰³, K.W. Kwok ^{64a}, N.G. Kyriacou ¹⁰⁵,
L.A.O. Laatu ¹⁰¹, C. Lacasta ¹⁶², F. Lacava ^{74a,74b}, H. Lacker ¹⁸, D. Lacour ¹²⁶, N.N. Lad ⁹⁵,
E. Ladygin ³⁸, B. Laforge ¹²⁶, T. Lagouri ^{136e}, S. Lai ⁵⁵, I.K. Lakomic ^{84a}, N. Lalloue ⁶⁰,
J.E. Lambert ¹¹⁹, S. Lammers ⁶⁷, W. Lampl ⁷, C. Lampoudis ¹⁵¹, A.N. Lancaster ¹¹⁴,
E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹³, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰²,
A.J. Lankford ¹⁵⁹, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{72a}, A. Lapertosa ^{57b,57a},
J.F. Laporte ¹³⁴, T. Lari ^{70a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³⁰,
T.S. Lau ^{64a}, A. Laudrain ⁹⁹, A. Laurier ³⁴, S.D. Lawlor ⁹⁴, Z. Lawrence ¹⁰⁰,
M. Lazzaroni ^{70a,70b}, B. Le ¹⁰⁰, B. Leban ⁹², A. Lebedev ⁸⁰, M. LeBlanc ³⁶, T. LeCompte ⁶,
F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁵, G.R. Lee ¹⁶, L. Lee ⁶¹, S.C. Lee ¹⁴⁷, S. Lee ^{47a,47b},
T.F. Lee ⁹¹, L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁴, M. Lefebvre ¹⁶⁴, C. Leggett ^{17a}, K. Lehmann ¹⁴¹,
G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰², A. Leisos ^{151,u}, M.A.L. Leite ^{81c},
C.E. Leitgeb ⁴⁸, R. Leitner ¹³², K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{73a}, C. Leonidopoulos ⁵²,
A. Leopold ¹⁴³, C. Leroy ¹⁰⁷, R. Les ¹⁰⁶, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴,
D. Levin ¹⁰⁵, L.J. Levinson ¹⁶⁸, M.P. Lewicki ⁸⁵, D.J. Lewis ⁴, B. Li ^{14b}, B. Li ^{62b}, C. Li ^{62a},
C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁷, L. Li ^{62c},
M. Li ^{14a,14d}, Q.Y. Li ^{62a}, S. Li ^{62d,62c,e}, T. Li ^{62b}, X. Li ¹⁰³, Z. Li ^{62b}, Z. Li ¹²⁵, Z. Li ¹⁰³,
Z. Li ⁹¹, Z. Li ^{14a,14d}, Z. Liang ^{14a}, M. Liberatore ⁴⁸, B. Liberti ^{75a}, K. Lie ^{64c},
J. Lieber Marin ^{81b}, K. Lin ¹⁰⁶, R.A. Linck ⁶⁷, R.E. Lindley ⁷, J.H. Lindon ², A. Linss ⁴⁸,
E. Lipeles ¹²⁷, A. Lipniacka ¹⁶, A. Lister ¹⁶³, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴¹,
D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a},
Q. Liu ^{62d,137,62c}, X. Liu ^{62a}, Y. Liu ⁴⁸, Y. Liu ^{14c,14d}, Y.L. Liu ¹⁰⁵, Y.W. Liu ^{62a},
M. Livan ^{72a,72b}, J. Llorente Merino ¹⁴¹, S.L. Lloyd ⁹³, E.M. Lobodzinska ⁴⁸, P. Loch ⁷,
S. Loffredo ^{75a,75b}, T. Lohse ¹⁸, K. Lohwasser ¹³⁸, M. Lokajicek ^{130,*}, J.D. Long ¹⁶¹,

I. Longarini ^{id74a,74b}, L. Longo ^{id69a,69b}, R. Longo ^{id161}, I. Lopez Paz ^{id36}, A. Lopez Solis ^{id48},
 J. Lorenz ^{id108}, N. Lorenzo Martinez ^{id4}, A.M. Lory ^{id108}, A. Lösle ^{id54}, X. Lou ^{id47a,47b}, X. Lou ^{id14a,14d},
 A. Lounis ^{id66}, J. Love ^{id6}, P.A. Love ^{id90}, J.J. Lozano Bahilo ^{id162}, G. Lu ^{id14a,14d}, M. Lu ^{id79},
 S. Lu ^{id127}, Y.J. Lu ^{id65}, H.J. Lubatti ^{id137}, C. Luci ^{id74a,74b}, F.L. Lucio Alves ^{id14c}, A. Lucotte ^{id60},
 F. Luehring ^{id67}, I. Luise ^{id144}, O. Lukianchuk ^{id66}, O. Lundberg ^{id143}, B. Lund-Jensen ^{id143},
 N.A. Luongo ^{id122}, M.S. Lutz ^{id150}, D. Lynn ^{id29}, H. Lyons⁹¹, R. Lysak ^{id130}, E. Lytken ^{id97}, F. Lyu ^{id14a},
 V. Lyubushkin ^{id38}, T. Lyubushkina ^{id38}, H. Ma ^{id29}, L.L. Ma ^{id62b}, Y. Ma ^{id95}, D.M. Mac Donell ^{id164},
 G. Maccarrone ^{id53}, J.C. MacDonald ^{id138}, R. Madar ^{id40}, W.F. Mader ^{id50}, J. Maeda ^{id83}, T. Maeno ^{id29},
 M. Maerker ^{id50}, V. Magerl ^{id54}, J. Magro ^{id68a,68c}, H. Maguire ^{id138}, D.J. Mahon ^{id41},
 C. Maidantchik ^{id81b}, A. Maio ^{id129a,129b,129d}, K. Maj ^{id84a}, O. Majersky ^{id28a}, S. Majewski ^{id122},
 N. Makovec ^{id66}, V. Maksimovic ^{id15}, B. Malaescu ^{id126}, Pa. Malecki ^{id85}, V.P. Maleev ^{id37},
 F. Malek ^{id60}, D. Malito ^{id43b,43a}, U. Mallik ^{id79}, C. Malone ^{id32}, S. Maltezos¹⁰, S. Malyukov³⁸,
 J. Mamuzic ^{id13}, G. Mancini ^{id53}, G. Manco ^{id72a,72b}, J.P. Mandalia ^{id93}, I. Mandić ^{id92},
 L. Manhaes de Andrade Filho ^{id81a}, I.M. Maniatis ^{id151}, M. Manisha ^{id134}, J. Manjarres Ramos ^{id50},
 D.C. Mankad ^{id168}, A. Mann ^{id108}, B. Mansoulie ^{id134}, S. Manzoni ^{id36}, A. Marantis ^{id151,u},
 G. Marchiori ^{id5}, M. Marcisovsky ^{id130}, L. Marcoccia ^{id75a,75b}, C. Marcon ^{id70a}, M. Marinescu ^{id20},
 M. Marjanovic ^{id119}, Z. Marshall ^{id17a}, S. Marti-Garcia ^{id162}, T.A. Martin ^{id166}, V.J. Martin ^{id52},
 B. Martin dit Latour ^{id16}, L. Martinelli ^{id74a,74b}, M. Martinez ^{id13,v}, P. Martinez Agullo ^{id162},
 V.I. Martinez Outschoorn ^{id102}, P. Martinez Suarez ^{id13}, S. Martin-Haugh ^{id133}, V.S. Martoiu ^{id27b},
 A.C. Martyniuk ^{id95}, A. Marzin ^{id36}, S.R. Maschek ^{id109}, L. Masetti ^{id99}, T. Mashimo ^{id152},
 J. Masik ^{id100}, A.L. Maslennikov ^{id37}, L. Massa ^{id23b}, P. Massarotti ^{id71a,71b}, P. Mastrandrea ^{id73a,73b},
 A. Mastroberardino ^{id43b,43a}, T. Masubuchi ^{id152}, T. Mathisen ^{id160}, N. Matsuzawa¹⁵², J. Maurer ^{id27b},
 B. Maček ^{id92}, D.A. Maximov ^{id37}, R. Mazini ^{id147}, I. Maznas ^{id151}, M. Mazza ^{id106}, S.M. Mazza ^{id135},
 C. Mc Ginn ^{id29}, J.P. Mc Gowan ^{id103}, S.P. Mc Kee ^{id105}, W.P. McCormack ^{id17a}, E.F. McDonald ^{id104},
 A.E. McDougall ^{id113}, J.A. Mcfayden ^{id145}, G. Mchedlidze ^{id148b}, R.P. Mckenzie ^{id33g},
 T.C. McLachlan ^{id48}, D.J. McLaughlin ^{id95}, K.D. McLean ^{id164}, S.J. McMahon ^{id133}, P.C. McNamara ^{id104},
 C.M. Mcpartland ^{id91}, R.A. McPherson ^{id164,y}, T. Megy ^{id40}, S. Mehlhase ^{id108}, A. Mehta ^{id91},
 B. Meirose ^{id45}, D. Melini ^{id149}, B.R. Mellado Garcia ^{id33g}, A.H. Melo ^{id55}, F. Meloni ^{id48},
 E.D. Mendes Gouveia ^{id129a}, A.M. Mendes Jacques Da Costa ^{id20}, H.Y. Meng ^{id154}, L. Meng ^{id90},
 S. Menke ^{id109}, M. Mentink ^{id36}, E. Meoni ^{id43b,43a}, C. Merlassino ^{id125}, L. Merola ^{id71a,71b},
 C. Meroni ^{id70a,70b}, G. Merz¹⁰⁵, O. Meshkov ^{id37}, J.K.R. Meshreki ^{id140}, J. Metcalfe ^{id6}, A.S. Mete ^{id6},
 C. Meyer ^{id67}, J-P. Meyer ^{id134}, M. Michetti ^{id18}, R.P. Middleton ^{id133}, L. Mijović ^{id52},
 G. Mikenberg ^{id168}, M. Mikestikova ^{id130}, M. Mikuž ^{id92}, H. Mildner ^{id138}, A. Milic ^{id36},
 C.D. Milke ^{id44}, D.W. Miller ^{id39}, L.S. Miller ^{id34}, A. Milov ^{id168}, D.A. Milstead^{47a,47b}, T. Min^{14c},
 A.A. Minaenko ^{id37}, I.A. Minashvili ^{id148b}, L. Mince ^{id59}, A.I. Mincer ^{id116}, B. Mindur ^{id84a},
 M. Mineev ^{id38}, Y. Mino ^{id86}, L.M. Mir ^{id13}, M. Miralles Lopez ^{id162}, M. Mironova ^{id125},
 M.C. Missio ^{id112}, T. Mitani ^{id167}, A. Mitra ^{id166}, V.A. Mitsou ^{id162}, O. Miu ^{id154}, P.S. Miyagawa ^{id93},
 Y. Miyazaki⁸⁸, A. Mizukami ^{id82}, J.U. Mjörnmark ^{id97}, T. Mkrtchyan ^{id63a}, T. Mlinarevic ^{id95},
 M. Mlynarikova ^{id36}, T. Moa ^{id47a,47b}, S. Mobius ^{id55}, K. Mochizuki ^{id107}, P. Moder ^{id48}, P. Mogg ^{id108},
 A.F. Mohammed ^{id14a,14d}, S. Mohapatra ^{id41}, G. Mokgatitswane ^{id33g}, B. Mondal ^{id140}, S. Mondal ^{id131},
 K. Mönig ^{id48}, E. Monnier ^{id101}, L. Monsonis Romero¹⁶², J. Montejo Berlingen ^{id36}, M. Montella ^{id118},
 F. Monticelli ^{id89}, N. Morange ^{id66}, A.L. Moreira De Carvalho ^{id129a}, M. Moreno Llácer ^{id162},
 C. Moreno Martinez ^{id56}, P. Morettini ^{id57b}, S. Morgenstern ^{id166}, M. Morii ^{id61}, M. Morinaga ^{id152},
 V. Morisbak ^{id124}, A.K. Morley ^{id36}, F. Morodei ^{id74a,74b}, L. Morvaj ^{id36}, P. Moschovakos ^{id36},
 B. Moser ^{id36}, M. Mosidze ^{id148b}, T. Moskalets ^{id54}, P. Moskvitina ^{id112}, J. Moss ^{id31,o},
 E.J.W. Moyse ^{id102}, S. Muanza ^{id101}, J. Mueller ^{id128}, D. Muenstermann ^{id90}, R. Müller ^{id19},
 G.A. Mullier ^{id97}, J.J. Mullin¹²⁷, D.P. Mungo ^{id154}, J.L. Munoz Martinez ^{id13}, D. Munoz Perez ^{id162},

F.J. Munoz Sanchez ¹⁰⁰, M. Murin ¹⁰⁰, W.J. Murray ^{166,133}, A. Murrone ^{70a,70b}, J.M. Muse ¹¹⁹, M. Muškinja ^{17a}, C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸, A.A. Myers ¹²⁸, G. Myers ⁶⁷, M. Myska ¹³¹, B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, A. Nag ⁵⁰, K. Nagai ¹²⁵, K. Nagano ⁸², J.L. Nagle ^{29,ak}, E. Nagy ¹⁰¹, A.M. Nairz ³⁶, Y. Nakahama ⁸², K. Nakamura ⁸², H. Nanjo ¹²³, R. Narayan ⁴⁴, E.A. Narayanan ¹¹¹, I. Naryshkin ³⁷, M. Naseri ³⁴, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶², R. Nayak ¹⁵⁰, A. Nayaz ¹⁸, P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸, L. Nedic ¹²⁵, T.J. Neep ²⁰, A. Negri ^{72a,72b}, M. Negrini ^{23b}, C. Nellist ¹¹², C. Nelson ¹⁰³, K. Nelson ¹⁰⁵, S. Nemecek ¹³⁰, M. Nessi ^{36,h}, M.S. Neubauer ¹⁶¹, F. Neuhaus ⁹⁹, J. Neundorff ⁴⁸, R. Newhouse ¹⁶³, P.R. Newman ²⁰, C.W. Ng ¹²⁸, Y.S. Ng ¹⁸, Y.W.Y. Ng ⁴⁸, B. Ngair ^{35e}, H.D.N. Nguyen ¹⁰⁷, R.B. Nickerson ¹²⁵, R. Nicolaidou ¹³⁴, J. Nielsen ¹³⁵, M. Niemeyer ⁵⁵, N. Nikiforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁶, K. Nikolopoulos ²⁰, P. Nilsson ²⁹, H.R. Nindhito ⁵⁶, A. Nisati ^{74a}, N. Nishu ², R. Nisius ¹⁰⁹, J.-E. Nitschke ⁵⁰, E.K. Nkadimeng ^{33g}, S.J. Noacco Rosende ⁸⁹, T. Nobe ¹⁵², D.L. Noel ³², Y. Noguchi ⁸⁶, T. Nommensen ¹⁴⁶, M.A. Nomura ²⁹, M.B. Norfolk ¹³⁸, R.R.B. Norisam ⁹⁵, B.J. Norman ³⁴, J. Novak ⁹², T. Novak ⁴⁸, O. Novgorodova ⁵⁰, L. Novotny ¹³¹, R. Novotny ¹¹¹, L. Nozka ¹²¹, K. Ntekas ¹⁵⁹, N.M.J. Nunes De Moura Junior ^{81b}, E. Nurse ⁹⁵, F.G. Oakham ^{34,ah}, J. Ocariz ¹²⁶, A. Ochi ⁸³, I. Ochoa ^{129a}, S. Oerdek ¹⁶⁰, A. Ogrodnik ^{84a}, A. Oh ¹⁰⁰, C.C. Ohm ¹⁴³, H. Oide ¹⁵³, R. Oishi ¹⁵², M.L. Ojeda ⁴⁸, Y. Okazaki ⁸⁶, M.W. O'Keefe ⁹¹, Y. Okumura ¹⁵², A. Olariu ^{27b}, L.F. Oleiro Seabra ^{129a}, S.A. Olivares Pino ^{136e}, D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{81a}, J.L. Oliver ¹⁵⁹, M.J.R. Olsson ¹⁵⁹, A. Olszewski ⁸⁵, J. Olszowska ^{85,*}, Ö.O. Öncel ⁵⁴, D.C. O'Neil ¹⁴¹, A.P. O'Neill ¹⁹, A. Onofre ^{129a,129e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁸⁹, D. Orestano ^{76a,76b}, N. Orlando ¹³, R.S. Orr ¹⁵⁴, V. O'Shea ⁵⁹, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁸, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ^{29,ak}, F. Ould-Saada ¹²⁴, M. Owen ⁵⁹, R.E. Owen ¹³³, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, N. Ozturk ⁸, S. Ozturk ^{21d}, J. Pacalt ¹²¹, H.A. Pacey ³², A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{74a,74b}, S. Pagan Griso ^{17a}, G. Palacino ⁶⁷, A. Palazzo ^{69a,69b}, S. Palazzo ⁵², S. Palestini ³⁶, M. Palka ^{84b}, J. Pan ¹⁷¹, T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹³, J.G. Panduro Vazquez ⁹⁴, H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{68a,68c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁷, S. Parajuli ⁴⁴, A. Paramonov ⁶, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, T.H. Park ¹⁵⁴, M.A. Parker ³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁴, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁷, L. Pascual Dominguez ¹⁵⁰, V.R. Pascuzzi ^{17a}, F. Pasquali ¹¹³, E. Pasqualucci ^{74a}, S. Passaggio ^{57b}, F. Pastore ⁹⁴, P. Pasuwan ^{47a,47b}, P. Patel ⁸⁵, J.R. Pater ¹⁰⁰, J. Patton ⁹¹, T. Pauly ³⁶, J. Pearkes ¹⁴², M. Pedersen ¹²⁴, R. Pedro ^{129a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵², C. Peng ^{64b}, H. Peng ^{62a}, K.E. Pensi ¹⁰⁸, M. Penzin ³⁷, B.S. Peralva ^{81d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b}, D.V. Perepelitsa ^{29,ak}, E. Perez Codina ^{155a}, M. Perganti ¹⁰, L. Perini ^{70a,70b,*}, H. Pernegger ³⁶, A. Perrevoort ¹¹², O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰⁰, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰¹, V. Petousis ¹³¹, C. Petridou ¹⁵¹, A. Petrukhin ¹⁴⁰, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷, K. Petukhova ¹³², A. Peyaud ¹³⁴, R. Pezoa ^{136f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷¹, T.M. Pham ¹⁶⁹, T. Pham ¹⁰⁴, P.W. Phillips ¹³³, M.W. Phipps ¹⁶¹, G. Piacquadio ¹⁴⁴, E. Pianori ^{17a}, F. Piazza ^{70a,70b}, R. Piegaia ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰⁰, M. Pinamonti ^{68a,68c}, J.L. Pinfold ², B.C. Pinheiro Pereira ^{129a}, C. Pitman Donaldson ⁹⁵, D.A. Pizzi ³⁴, L. Pizzimento ^{75a,75b}, A. Pizzini ¹¹³, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴, V. Pleskot ¹³², E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁷, L. Poggioli ¹²⁶, I. Pogrebnyak ¹⁰⁶, D. Pohl ²⁴, I. Pokharel ⁵⁵, S. Polacek ¹³², G. Polesello ^{72a}, A. Poley ^{141,155a}, R. Polifka ¹³¹, A. Polini ^{23b}, C.S. Pollard ¹²⁵, Z.B. Pollock ¹¹⁸, V. Polychronakos ²⁹, E. Pompa Pacchi ^{74a,74b}, D. Ponomarenko ³⁷,

L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, D.M. Portillo Quintero ^{155a}, S. Pospisil ¹³¹,
 P. Postolache ^{27c}, K. Potamianos ¹²⁵, I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸,
 J. Poveda ¹⁶², M.E. Pozo Astigarraga ³⁶, A. Prades Ibanez ¹⁶², M.M. Prapa ⁴⁶, J. Pretel ⁵⁴,
 D. Price ¹⁰⁰, M. Primavera ^{69a}, M.A. Principe Martin ⁹⁸, R. Privara ¹²¹, M.L. Proffitt ¹³⁷,
 N. Proklova ¹²⁷, K. Prokofiev ^{64c}, G. Proto ^{75a,75b}, S. Protopopescu ²⁹, J. Proudfoot ⁶,
 M. Przybycien ^{84a}, J.E. Puddefoot ¹³⁸, D. Pudzha ³⁷, P. Puzo ⁶⁶, D. Pyatiiizbyantseva ³⁷,
 J. Qian ¹⁰⁵, D. Qichen ¹⁰⁰, Y. Qin ¹⁰⁰, T. Qiu ⁹³, A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰⁰,
 G. Quetant ⁵⁶, G. Rabanal Bolanos ⁶¹, D. Rafanoharana ⁵⁴, F. Ragusa ^{70a,70b}, J.L. Rainbolt ³⁹,
 J.A. Raine ⁵⁶, S. Rajagopalan ²⁹, E. Ramakoti ³⁷, K. Ran ^{48,14d}, N.P. Rapheeha ^{33g},
 V. Raskina ¹²⁶, D.F. Rassloff ^{63a}, S. Rave ⁹⁹, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁸, M. Raymond ³⁶,
 A.L. Read ¹²⁴, N.P. Readioff ¹³⁸, D.M. Rebuzzi ^{72a,72b}, G. Redlinger ²⁹, K. Reeves ⁴⁵,
 J.A. Reidelsturz ¹⁷⁰, D. Reikher ¹⁵⁰, A. Reiss ⁹⁹, A. Rej ¹⁴⁰, C. Rembsen ³⁶, A. Renardi ⁴⁸,
 M. Renda ^{27b}, M.B. Rendel ¹⁰⁹, F. Renner ⁴⁸, A.G. Rennie ⁵⁹, S. Resconi ^{70a}, M. Ressegotti ^{57b,57a},
 E.D. Resseguie ^{17a}, S. Rettie ³⁶, B. Reynolds ¹¹⁸, E. Reynolds ^{17a}, M. Rezaei Estabragh ¹⁷⁰,
 O.L. Rezanova ³⁷, P. Reznicek ¹³², E. Ricci ^{77a,77b}, R. Richter ¹⁰⁹, S. Richter ^{47a,47b},
 E. Richter-Was ^{84b}, M. Ridel ¹²⁶, P. Rieck ¹¹⁶, P. Riedler ³⁶, M. Rijssenbeek ¹⁴⁴,
 A. Rimoldi ^{72a,72b}, M. Rimoldi ⁴⁸, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹, M.P. Rinnagel ¹⁰⁸,
 G. Ripellino ¹⁴³, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁴, F. Rizatdinova ¹²⁰,
 E. Rizvi ⁹³, C. Rizzi ⁵⁶, B.A. Roberts ¹⁶⁶, B.R. Roberts ^{17a}, S.H. Robertson ^{103,y}, M. Robin ⁴⁸,
 D. Robinson ³², C.M. Robles Gajardo ^{136f}, M. Robles Manzano ⁹⁹, A. Robson ⁵⁹, A. Rocchi ^{75a,75b},
 C. Roda ^{73a,73b}, S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴,
 A.M. Rodríguez Vera ^{155b}, S. Roe ³⁶, J.T. Roemer ¹⁵⁹, A.R. Roepe-Gier ¹¹⁹, J. Roggel ¹⁷⁰,
 O. Røhne ¹²⁴, R.A. Rojas ¹⁶⁴, B. Roland ⁵⁴, C.P.A. Roland ⁶⁷, J. Roloff ²⁹, A. Romanouk ³⁷,
 E. Romano ^{72a,72b}, M. Romano ^{23b}, A.C. Romero Hernandez ¹⁶¹, N. Rompotis ⁹¹, L. Roos ¹²⁶,
 S. Rosati ^{74a}, B.J. Rosser ³⁹, E. Rossi ⁴, E. Rossi ^{71a,71b}, L.P. Rossi ^{57b}, L. Rossini ⁴⁸,
 R. Rosten ¹¹⁸, M. Rotaru ^{27b}, B. Rottler ⁵⁴, D. Rousseau ⁶⁶, D. Rousso ³², G. Rovelli ^{72a,72b},
 A. Roy ¹⁶¹, A. Rozanov ¹⁰¹, Y. Rozen ¹⁴⁹, X. Ruan ^{33g}, A. Rubio Jimenez ¹⁶², A.J. Ruby ⁹¹,
 V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, F. Rühr ⁵⁴, A. Ruiz-Martinez ¹⁶², A. Rummler ³⁶,
 Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁴, J.P. Rutherford ⁷, K. Rybacki ⁹⁰,
 M. Rybar ¹³², E.B. Rye ¹²⁴, A. Ryzhov ³⁷, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶²,
 L. Sabetta ^{74a,74b}, H.F-W. Sadrozinski ¹³⁵, F. Safai Tehrani ^{74a}, B. Safarzadeh Samani ¹⁴⁵,
 M. Safdari ¹⁴², S. Saha ¹⁰³, M. Sahinsoy ¹⁰⁹, M. Saimpert ¹³⁴, M. Saito ¹⁵², T. Saito ¹⁵²,
 D. Salamani ³⁶, G. Salamanna ^{76a,76b}, A. Salnikov ¹⁴², J. Salt ¹⁶², A. Salvador Salas ¹³,
 D. Salvatore ^{43b,43a}, F. Salvatore ¹⁴⁵, A. Salzburger ³⁶, D. Sammel ⁵⁴, D. Sampsonidis ¹⁵¹,
 D. Sampsonidou ^{62d,62c}, J. Sánchez ¹⁶², A. Sanchez Pineda ⁴, V. Sanchez Sebastian ¹⁶²,
 H. Sandaker ¹²⁴, C.O. Sander ⁴⁸, J.A. Sandesara ¹⁰², M. Sandhoff ¹⁷⁰, C. Sandoval ^{22b},
 D.P.C. Sankey ¹³³, A. Sansoni ⁵³, L. Santi ^{74a,74b}, C. Santoni ⁴⁰, H. Santos ^{129a,129b},
 S.N. Santpur ^{17a}, A. Santra ¹⁶⁸, K.A. Saoucha ¹³⁸, J.G. Saraiva ^{129a,129d}, J. Sardain ⁷,
 O. Sasaki ⁸², K. Sato ¹⁵⁶, C. Sauer ^{63b}, F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{154,ah},
 R. Sawada ¹⁵², C. Sawyer ¹³³, L. Sawyer ⁹⁶, I. Sayago Galvan ¹⁶², C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a},
 T. Scanlon ⁹⁵, J. Schaarschmidt ¹³⁷, P. Schacht ¹⁰⁹, D. Schaefer ³⁹, U. Schäfer ⁹⁹,
 A.C. Schaffer ⁶⁶, D. Schaile ¹⁰⁸, R.D. Schamberger ¹⁴⁴, E. Schanet ¹⁰⁸, C. Scharf ¹⁸,
 M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷, D. Scheirich ¹³², F. Schenck ¹⁸, M. Schernau ¹⁵⁹,
 C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, Z.M. Schillaci ²⁶, E.J. Schioppa ^{69a,69b}, M. Schioppa ^{43b,43a},
 B. Schlag ⁹⁹, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, M.A. Schmidt ¹⁷⁰, K. Schmieden ⁹⁹,
 C. Schmitt ⁹⁹, S. Schmitt ⁴⁸, L. Schoeffel ¹³⁴, A. Schoening ^{63b}, P.G. Scholer ⁵⁴, E. Schopf ¹²⁵,
 M. Schott ⁹⁹, J. Schovancova ³⁶, S. Schramm ⁵⁶, F. Schroeder ¹⁷⁰, H-C. Schultz-Coulon ^{63a},

M. Schumacher ⁵⁴, B.A. Schumm ¹³⁵, Ph. Schune ¹³⁴, A. Schwartzman ¹⁴², T.A. Schwarz ¹⁰⁵,
Ph. Schwemling ¹³⁴, R. Schvienhorst ¹⁰⁶, A. Sciandra ¹³⁵, G. Sciolla ²⁶, F. Scuri ^{73a}, F. Scutti ¹⁰⁴,
C.D. Sebastiani ⁹¹, K. Sedlaczek ⁴⁹, P. Seema ¹⁸, S.C. Seidel ¹¹¹, A. Seiden ¹³⁵,
B.D. Seidlitz ⁴¹, T. Seiss ³⁹, C. Seitz ⁴⁸, J.M. Seixas ^{81b}, G. Sekhniaidze ^{71a}, S.J. Sekula ⁴⁴,
L. Selem ⁴, N. Semprini-Cesari ^{23b,23a}, S. Sen ⁵¹, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶²,
L. Serin ⁶⁶, L. Serkin ^{68a,68b}, M. Sessa ^{76a,76b}, H. Severini ¹¹⁹, S. Sevova ¹⁴², F. Sforza ^{57b,57a},
A. Sfyrila ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴³, J.D. Shahinian ¹²⁷, N.W. Shaikh ^{47a,47b},
D. Shaked Renous ¹⁶⁸, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶, A.S. Sharma ¹⁶³,
P. Sharma ⁷⁹, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁵, S.M. Shaw ¹⁰⁰, Q. Shen ^{62c,5},
P. Sherwood ⁹⁵, L. Shi ⁹⁵, C.O. Shimmin ¹⁷¹, Y. Shimogama ¹⁶⁷, J.D. Shinner ⁹⁴,
I.P.J. Shipsey ¹²⁵, S. Shirabe ⁶⁰, M. Shiyakova ^{38,x}, J. Shlomi ¹⁶⁸, M.J. Shochet ³⁹,
J. Shojaii ¹⁰⁴, D.R. Shope ¹²⁴, S. Shrestha ^{118,al}, E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁴, P. Sicho ¹³⁰,
A.M. Sickles ¹⁶¹, E. Sideras Haddad ^{33g}, A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵,
R. Sikora ^{84a}, F. Sili ³⁹, J.M. Silva ²⁰, M.V. Silva Oliveira ³⁶, S.B. Silverstein ^{47a}, S. Simion ⁶⁶,
R. Simoniello ³⁶, E.L. Simpson ⁵⁹, N.D. Simpson ⁹⁷, S. Simsek ^{21d}, S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁴,
V. Sinetckii ³⁷, S. Singh ¹⁴¹, S. Singh ¹⁵⁴, S. Sinha ⁴⁸, S. Sinha ^{33g}, M. Sioli ^{23b,23a}, I. Siral ³⁶,
S.Yu. Sivoklov ^{37,*}, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ⁹⁷, P. Skubic ¹¹⁹, M. Slawinska ⁸⁵,
V. Smakhtin ¹⁶⁸, B.H. Smart ¹³³, J. Smiesko ³⁶, S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷,
L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁷, A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁵,
J.L. Smith ⁹¹, R. Smith ¹⁴², M. Smizanska ⁹⁰, K. Smolek ¹³¹, A. Smykiewicz ⁸⁵, A.A. Snesarev ³⁷,
H.L. Snoek ¹¹³, S. Snyder ²⁹, R. Sobie ^{164,y}, A. Soffer ¹⁵⁰, C.A. Solans Sanchez ³⁶,
E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶², A.A. Solodkov ³⁷, S. Solomon ⁵⁴, A. Soloshenko ³⁸,
K. Solovieva ⁵⁴, O.V. Solovyanov ³⁷, V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³,
W.Y. Song ^{155b}, A. Sopczak ¹³¹, A.L. Sopio ⁹⁵, F. Sopkova ^{28b}, V. Sothilingam ^{63a},
S. Sottocornola ^{72a,72b}, R. Soualah ^{115b}, Z. Soumami ^{35e}, D. South ⁴⁸, S. Spagnolo ^{69a,69b},
M. Spalla ¹⁰⁹, F. Spanò ⁹⁴, D. Sperlich ⁵⁴, G. Spigo ³⁶, M. Spina ¹⁴⁵, S. Spinali ⁹⁰,
D.P. Spiteri ⁵⁹, M. Spousta ¹³², E.J. Staats ³⁴, A. Stabile ^{70a,70b}, R. Stamen ^{63a},
M. Stamenkovic ¹¹³, A. Stampekis ²⁰, M. Standke ²⁴, E. Stanecka ⁸⁵, M.V. Stange ⁵⁰,
B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁵, B. Stapf ⁴⁸, E.A. Starchenko ³⁷,
G.H. Stark ¹³⁵, J. Stark ^{101,ab}, D.M. Starko ^{155b}, P. Staroba ¹³⁰, P. Starovoitov ^{63a}, S. Stärz ¹⁰³,
R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶⁰, P. Steinberg ²⁹, A.L. Steinhebel ¹²²,
B. Stelzer ^{141,155a}, H.J. Stelzer ¹²⁸, O. Stelzer-Chilton ^{155a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁵,
G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoica ^{27b}, M. Stolarski ^{129a}, S. Stonjek ¹⁰⁹,
A. Straessner ⁵⁰, J. Strandberg ¹⁴³, S. Strandberg ^{47a,47b}, M. Strauss ¹¹⁹, T. Strebler ¹⁰¹,
P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁵, D.M. Strom ¹²², L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴,
A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹¹⁹, N.A. Styles ⁴⁸, D. Su ¹⁴²,
S. Su ^{62a}, W. Su ^{62d,137,62c}, X. Su ^{62a,66}, K. Sugizaki ¹⁵², V.V. Sulin ³⁷, M.J. Sullivan ⁹¹,
D.M.S. Sultan ^{77a,77b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁶, S. Sun ¹⁰⁵, S. Sun ¹⁶⁹,
O. Sunneborn Gudnadottir ¹⁶⁰, M.R. Sutton ¹⁴⁵, M. Svatos ¹³⁰, M. Swiatlowski ^{155a},
T. Swirski ¹⁶⁵, I. Sykora ^{28a}, M. Sykora ¹³², T. Sykora ¹³², D. Ta ⁹⁹, K. Tackmann ^{48,w},
A. Taffard ¹⁵⁹, R. Tafirout ^{155a}, J.S. Tafoya Vargas ⁶⁶, R.H.M. Taibah ¹²⁶, R. Takashima ⁸⁷,
K. Takeda ⁸³, E.P. Takeva ⁵², Y. Takubo ⁸², M. Talby ¹⁰¹, A.A. Talyshv ³⁷, K.C. Tam ^{64b},
N.M. Tamir ¹⁵⁰, A. Tanaka ¹⁵², J. Tanaka ¹⁵², R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, J. Tang ^{62c},
Z. Tao ¹⁶³, S. Tapia Araya ⁸⁰, S. Tapprogge ⁹⁹, A. Tarek Abouelfadl Mohamed ¹⁰⁶, S. Tarem ¹⁴⁹,
K. Tariq ^{62b}, G. Tarna ^{101,27b}, G.F. Tartarelli ^{70a}, P. Tas ¹³², M. Tasevsky ¹³⁰, E. Tassi ^{43b,43a},
A.C. Tate ¹⁶¹, G. Tateno ¹⁵², Y. Tayalati ^{35e}, G.N. Taylor ¹⁰⁴, W. Taylor ^{155b}, H. Teagle ⁹¹,
A.S. Tee ¹⁶⁹, R. Teixeira De Lima ¹⁴², P. Teixeira-Dias ⁹⁴, J.J. Teoh ¹⁵⁴, K. Terashi ¹⁵²,

J. Terron ⁹⁸, S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{154,y}, A. Thaler ⁷⁸, O. Theiner ⁵⁶,
 N. Themistokleous ⁵², T. Theveneaux-Pelzer ¹⁸, O. Thielmann ¹⁷⁰, D.W. Thomas ⁹⁴, J.P. Thomas ²⁰,
 E.A. Thompson ⁴⁸, P.D. Thompson ²⁰, E. Thomson ¹²⁷, E.J. Thorpe ⁹³, Y. Tian ⁵⁵,
 V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹, P. Tipton ¹⁷¹,
 S. Tisserant ¹⁰¹, S.H. Tlou ^{33g}, A. Tnourji ⁴⁰, K. Todome ^{23b,23a}, S. Todorova-Nova ¹³², S. Todt ⁵⁰,
 M. Togawa ⁸², J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², R. Tombs ³², M. Tomoto ^{82,110},
 L. Tompkins ^{142,q}, K.W. Topolnicki ^{84b}, P. Tornambe ¹⁰², E. Torrence ¹²², H. Torres ⁵⁰,
 E. Torró Pastor ¹⁶², M. Toscani ³⁰, C. Tosciri ³⁹, D.R. Tovey ¹³⁸, A. Traeet ¹⁶, I.S. Trandafir ^{27b},
 T. Trefzger ¹⁶⁵, A. Tricoli ²⁹, I.M. Trigger ^{155a}, S. Trincas-Duvoid ¹²⁶, D.A. Trischuk ²⁶,
 B. Trocmé ⁶⁰, A. Trofymov ⁶⁶, C. Troncon ^{70a}, L. Truong ^{33c}, M. Trzebinski ⁸⁵, A. Trzupiek ⁸⁵,
 F. Tsai ¹⁴⁴, M. Tsai ¹⁰⁵, A. Tsiamis ¹⁵¹, P.V. Tsiareshka ³⁷, S. Tsigaridas ^{155a}, A. Tsigaridis ^{151,u},
 V. Tsiskaridze ¹⁴⁴, E.G. Tskhadadze ^{148a}, M. Tsopoulou ¹⁵¹, Y. Tsujikawa ⁸⁶, I.I. Tsukerman ³⁷,
 V. Tsulaia ^{17a}, S. Tsuno ⁸², O. Tsur ¹⁴⁹, D. Tsybychev ¹⁴⁴, Y. Tu ^{64b}, A. Tudorache ^{27b},
 V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸, I. Turk Cakir ^{3a}, R. Turra ^{70a}, T. Turtuvshin ³⁸,
 P.M. Tuts ⁴¹, S. Tzamarias ¹⁵¹, P. Tzanis ¹⁰, E. Tzovara ⁹⁹, K. Uchida ¹⁵², F. Ukegawa ¹⁵⁶,
 P.A. Ulloa Poblete ^{136c}, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁵⁹, J. Urban ^{28b},
 P. Urquijo ¹⁰⁴, G. Usai ⁸, R. Ushioda ¹⁵³, M. Usman ¹⁰⁷, Z. Uysal ^{21b}, V. Vacek ¹³¹,
 B. Vachon ¹⁰³, K.O.H. Vadla ¹²⁴, T. Vafeiadis ³⁶, C. Valderanis ¹⁰⁸, E. Valdes Santurio ^{47a,47b},
 M. Valente ^{155a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶², A. Vallier ^{101,ab}, J.A. Valls Ferrer ¹⁶²,
 T.R. Van Daalen ¹³⁷, P. Van Gemmeren ⁶, M. Van Rijnbach ^{124,36}, S. Van Stroud ⁹⁵,
 I. Van Vulpen ¹¹³, M. Vanadia ^{75a,75b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁴, E.R. Vandewall ¹²⁰,
 D. Vannicola ¹⁵⁰, L. Vannoli ^{57b,57a}, R. Vari ^{74a}, E.W. Varnes ⁷, C. Varni ^{17a}, T. Varol ¹⁴⁷,
 D. Varouchas ⁶⁶, L. Varriale ¹⁶², K.E. Varvell ¹⁴⁶, M.E. Vasile ^{27b}, L. Vaslin ⁴⁰, G.A. Vasquez ¹⁶⁴,
 F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰⁰, M.J. Veen ¹⁰²,
 I. Veliscek ¹²⁵, L.M. Veloce ¹⁵⁴, F. Veloso ^{129a,129c}, S. Veneziano ^{74a}, A. Ventura ^{69a,69b},
 A. Verbytskyi ¹⁰⁹, M. Verducci ^{73a,73b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{81b},
 W. Verkerke ¹¹³, J.C. Vermeulen ¹¹³, C. Vernieri ¹⁴², P.J. Verschuuren ⁹⁴, M. Vessella ¹⁰²,
 M.C. Vetterli ^{141,ah}, A. Vgenopoulos ¹⁵¹, N. Viaux Maira ^{136f}, T. Vickey ¹³⁸,
 O.E. Vickey Boeriu ¹³⁸, G.H.A. Viehhauser ¹²⁵, L. Vigani ^{63b}, M. Villa ^{23b,23a},
 M. Villaplana Perez ¹⁶², E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰,
 A. Vishwakarma ⁵², C. Vittori ^{23b,23a}, I. Vivarelli ¹⁴⁵, V. Vladimirov ¹⁶⁶, E. Voevodina ¹⁰⁹,
 F. Vogel ¹⁰⁸, P. Vokac ¹³¹, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³²,
 K. Vorobev ³⁷, M. Vos ¹⁶², J.H. Vosseveld ⁹¹, M. Vozak ¹¹³, L. Vozdecky ⁹³, N. Vranjes ¹⁵,
 M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹³, R. Vuillermet ³⁶, O. Vujanovic ⁹⁹, I. Vukotic ³⁹,
 S. Wada ¹⁵⁶, C. Wagner ¹⁰², W. Wagner ¹⁷⁰, S. Wahdan ¹⁷⁰, H. Wahlberg ⁸⁹, R. Wakasa ¹⁵⁶,
 M. Wakida ¹¹⁰, V.M. Walbrecht ¹⁰⁹, J. Walder ¹³³, R. Walker ¹⁰⁸, W. Walkowiak ¹⁴⁰,
 A.M. Wang ⁶¹, A.Z. Wang ¹⁶⁹, C. Wang ^{62a}, C. Wang ^{62c}, H. Wang ^{17a}, J. Wang ^{64a},
 P. Wang ⁴⁴, R.-J. Wang ⁹⁹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁷, S. Wang ^{62b}, T. Wang ^{62a},
 W.T. Wang ⁷⁹, W.X. Wang ^{62a}, X. Wang ^{14c}, X. Wang ¹⁶¹, X. Wang ^{62c}, Y. Wang ^{62d},
 Y. Wang ^{14c}, Z. Wang ¹⁰⁵, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁵, A. Warburton ¹⁰³, R.J. Ward ²⁰,
 N. Warrack ⁵⁹, A.T. Watson ²⁰, M.F. Watson ²⁰, G. Watts ¹³⁷, B.M. Waugh ⁹⁵, A.F. Webb ¹¹,
 C. Weber ²⁹, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁵, A.R. Weidberg ¹²⁵,
 J. Weingarten ⁴⁹, M. Weirich ⁹⁹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹,
 T. Wengler ³⁶, N.S. Wenke ¹⁰⁹, N. Wermes ²⁴, M. Wessels ^{63a}, K. Whalen ¹²², A.M. Wharton ⁹⁰,
 A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁵⁹, L. Wickremasinghe ¹²³,
 W. Wiedenmann ¹⁶⁹, C. Wiel ⁵⁰, M. Wielers ¹³³, N. Wieseotte ⁹⁹, C. Wigglesworth ⁴²,
 L.A.M. Wiik-Fuchs ⁵⁴, D.J. Wilbern ¹¹⁹, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁷,

S. Williams , S. Willocq , P.J. Windischhofer , F. Winklmeier , B.T. Winter , J.K. Winter , M. Wittgen , M. Wobisch , R. Wölker , J. Wollrath , M.W. Wolter , H. Wolters , V.W.S. Wong , A.F. Wongel , S.D. Worm , B.K. Wosiek , K.W. Woźniak , K. Wraight , J. Wu , M. Wu , M. Wu , S.L. Wu , X. Wu , Y. Wu , Z. Wu , J. Wuerzinger , T.R. Wyatt , B.M. Wynne , S. Xella , L. Xia , M. Xia , J. Xiang , X. Xiao , M. Xie , X. Xie , S. Xin , J. Xiong , I. Xiotidis , D. Xu , H. Xu , H. Xu , L. Xu , R. Xu , T. Xu , W. Xu , Y. Xu , Z. Xu , Z. Xu , B. Yabsley , S. Yacoob , N. Yamaguchi , Y. Yamaguchi , H. Yamauchi , T. Yamazaki , Y. Yamazaki , J. Yan , S. Yan , Z. Yan , H.J. Yang , H.T. Yang , S. Yang , T. Yang , X. Yang , X. Yang , Y. Yang , Z. Yang , W.-M. Yao , Y.C. Yap , H. Ye , H. Ye , J. Ye , S. Ye , X. Ye , Y. Yeh , I. Yeletskikh , B.K. Yeo , M.R. Yexley , P. Yin , K. Yorita , C.J.S. Young , C. Young , M. Yuan , R. Yuan , L. Yue , X. Yue , M. Zaazoua , B. Zabinski , E. Zaid , T. Zakareishvili , N. Zakharchuk , S. Zambito , J.A. Zamora Saa , J. Zang , D. Zanzi , O. Zaplatilek , S.V. Zeißner , C. Zeitnitz , J.C. Zeng , D.T. Zenger Jr , O. Zenin , T. Ženiš , S. Zenz , S. Zerradi , D. Zerwas , B. Zhang , D.F. Zhang , G. Zhang , J. Zhang , J. Zhang , K. Zhang , L. Zhang , P. Zhang , R. Zhang , S. Zhang , T. Zhang , X. Zhang , X. Zhang , Y. Zhang , Z. Zhang , Z. Zhang , H. Zhao , P. Zhao , T. Zhao , Y. Zhao , Z. Zhao , A. Zhemchugov , X. Zheng , Z. Zheng , D. Zhong , B. Zhou , C. Zhou , H. Zhou , N. Zhou , Y. Zhou , C.G. Zhu , C. Zhu , H.L. Zhu , H. Zhu , J. Zhu , Y. Zhu , Y. Zhu , X. Zhuang , K. Zhukov , V. Zhulanov , N.I. Zimine , J. Zinsser , M. Ziolkowski , L. Živković , A. Zoccoli , K. Zoch , T.G. Zorbas , O. Zormpa , W. Zou , L. Zwalinski .

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

^{3(a)}Department of Physics, Ankara University, Ankara; ^(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

^{14(a)}Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Physics Department, Tsinghua University, Beijing; ^(c)Department of Physics, Nanjing University, Nanjing; ^(d)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

^{17(a)}Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b)University of California,

Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

²¹(^a)Department of Physics, Bogazici University, Istanbul; (^b)Department of Physics Engineering, Gaziantep University, Gaziantep; (^c)Department of Physics, Istanbul University, Istanbul; (^d)Istinye University, Sariyer, Istanbul; Türkiye.

²²(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (^b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.

²³(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (^b)INFN Sezione di Bologna; Italy.

²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.

²⁵Department of Physics, Boston University, Boston MA; United States of America.

²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.

²⁷(^a)Transilvania University of Brasov, Brasov; (^b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (^c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (^d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (^e)University Politehnica Bucharest, Bucharest; (^f)West University in Timisoara, Timisoara; (^g)Faculty of Physics, University of Bucharest, Bucharest; Romania.

²⁸(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (^b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.

²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.

³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.

³¹California State University, CA; United States of America.

³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.

³³(^a)Department of Physics, University of Cape Town, Cape Town; (^b)iThemba Labs, Western Cape; (^c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (^d)National Institute of Physics, University of the Philippines Diliman (Philippines); (^e)University of South Africa, Department of Physics, Pretoria; (^f)University of Zululand, KwaDlangezwa; (^g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.

³⁴Department of Physics, Carleton University, Ottawa ON; Canada.

³⁵(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (^b)Faculté des Sciences, Université Ibn-Tofail, Kénitra; (^c)Faculté des Sciences Semailia, Université Cadi Ayyad, LPHEA-Marrakech; (^d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (^e)Faculté des sciences, Université Mohammed V, Rabat; (^f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.

³⁶CERN, Geneva; Switzerland.

³⁷Affiliated with an institute covered by a cooperation agreement with CERN.

³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.

³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.

⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.

⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.

⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.

⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende; (^b)INFN Gruppo Collegato di Cosenza,

Laboratori Nazionali di Frascati; Italy.

⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.

⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.

⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.

⁴⁷(^a) Department of Physics, Stockholm University; (^b) Oskar Klein Centre, Stockholm; Sweden.

⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.

⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.

⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.

⁵¹Department of Physics, Duke University, Durham NC; United States of America.

⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.

⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.

⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.

⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.

⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

⁵⁷(^a) Dipartimento di Fisica, Università di Genova, Genova; (^b) INFN Sezione di Genova; Italy.

⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.

⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.

⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.

⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.

⁶²(^a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d) Tsung-Dao Lee Institute, Shanghai; China.

⁶³(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.

⁶⁴(^a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b) Department of Physics, University of Hong Kong, Hong Kong; (^c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.

⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.

⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.

⁶⁷Department of Physics, Indiana University, Bloomington IN; United States of America.

⁶⁸(^a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b) ICTP, Trieste; (^c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.

⁶⁹(^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.

⁷⁰(^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano; Italy.

⁷¹(^a) INFN Sezione di Napoli; (^b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.

⁷²(^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.

⁷³(^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.

⁷⁴(^a) INFN Sezione di Roma; (^b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.

⁷⁵(^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.

⁷⁶(^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.

⁷⁷(^a) INFN-TIFPA; (^b) Università degli Studi di Trento, Trento; Italy.

⁷⁸Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.

- ⁷⁹University of Iowa, Iowa City IA; United States of America.
- ⁸⁰Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸¹(^a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (^b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (^c) Instituto de Física, Universidade de São Paulo, São Paulo; (^d) Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸²KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸³Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁴(^a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (^b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁵Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁶Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁷Kyoto University of Education, Kyoto; Japan.
- ⁸⁸Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁸⁹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹⁰Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹¹Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹²Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹³School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁴Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁵Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁶Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁷Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁸Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ⁹⁹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰⁰School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰¹CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰²Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰³Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁴School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁵Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁶Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁷Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁸Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹⁰⁹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹⁰Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹¹Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹²Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹³Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁴Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁵(^a) New York University Abu Dhabi, Abu Dhabi; (^b) University of Sharjah, Sharjah; United Arab Emirates.

- ¹¹⁶Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁷Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁸Ohio State University, Columbus OH; United States of America.
- ¹¹⁹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²⁰Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²¹Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²²Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²³Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁴Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁵Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁶LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁷Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁸Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹²⁹(^a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; (^b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (^c) Departamento de Física, Universidade de Coimbra, Coimbra; (^d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (^e) Departamento de Física, Universidade do Minho, Braga; (^f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (^g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³⁰Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³¹Czech Technical University in Prague, Prague; Czech Republic.
- ¹³²Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³³Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁴IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁵Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁶(^a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (^b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (^c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (^d) Universidad Andres Bello, Department of Physics, Santiago; (^e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (^f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁷Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁸Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹³⁹Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴⁰Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴¹Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴²SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴³Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁴Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁵Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁶School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁷Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁴⁸(^a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (^b) High

Energy Physics Institute, Tbilisi State University, Tbilisi;^(c) University of Georgia, Tbilisi; Georgia.

¹⁴⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.

¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.

¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.

¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.

¹⁵³ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.

¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada.

¹⁵⁵ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada.

¹⁵⁶ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.

¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.

¹⁵⁸ United Arab Emirates University, Al Ain; United Arab Emirates.

¹⁵⁹ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.

¹⁶⁰ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.

¹⁶¹ Department of Physics, University of Illinois, Urbana IL; United States of America.

¹⁶² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.

¹⁶³ Department of Physics, University of British Columbia, Vancouver BC; Canada.

¹⁶⁴ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.

¹⁶⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.

¹⁶⁶ Department of Physics, University of Warwick, Coventry; United Kingdom.

¹⁶⁷ Waseda University, Tokyo; Japan.

¹⁶⁸ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.

¹⁶⁹ Department of Physics, University of Wisconsin, Madison WI; United States of America.

¹⁷⁰ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.

¹⁷¹ Department of Physics, Yale University, New Haven CT; United States of America.

^a Also Affiliated with an institute covered by a cooperation agreement with CERN.

^b Also at An-Najah National University, Nablus; Palestine.

^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^d Also at Bruno Kessler Foundation, Trento; Italy.

^e Also at Center for High Energy Physics, Peking University; China.

^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^g Also at CERN, Geneva; Switzerland.

^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

^k Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

^l Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.

^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

ⁿ Also at Department of Physics, California State University, East Bay; United States of America.

- ^o Also at Department of Physics, California State University, Sacramento; United States of America.
- ^p Also at Department of Physics, King's College London, London; United Kingdom.
- ^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^s Also at Department of Physics, University of Thessaly; Greece.
- ^t Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^u Also at Hellenic Open University, Patras; Greece.
- ^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^x Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^y Also at Institute of Particle Physics (IPP); Canada.
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ^{ab} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ^{ac} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{ae} Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen; Germany.
- ^{af} Also at Technical University of Munich, Munich; Germany.
- ^{ag} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ah} Also at TRIUMF, Vancouver BC; Canada.
- ^{ai} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{aj} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- ^{ak} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{al} Also at Washington College, Maryland; United States of America.
- ^{am} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased